

Storage **Solutions** Catalog



A century of Excellence... a legacy of Quality





Customizing the Right Storage Solution

Contact us with your special requirements; Republic's engineering and manufacturing departments will develop a unique solution to fit your special application.



A century of Excellence...
a legacy of Quality

TABLE OF CONTENTS

SHELVING STORAGE

Industrial Clip Open/Closed Shelving.....	4-5
Industrial Clip Shelving Components	6-7
Industrial Clip Bin / Plastic Bin Units.....	8-9

STORAGE RACKING SYSTEMS

Pre-Engineered Bulk Storage Rack.....	14-20
Pre-Engineered Record Storage Racks	21
Rivet Rack and Components	22-23
Pallet Rack	24-28
Bar Pipe and Rod Rack	29
Cantilever Rack	30-32
Slotted Angle	33

STORAGE CABINETS

All-Welded Storage Cabinets	34
Combination Cabinets	35
Counter High and Eye-Level Shelf Cabinets.....	35
Clearview and 4-Door Shelf Cabinets.....	36
Mobile Shelf Cabinet and Mobile Work Centers.....	37
Cabinets w/Removable Bins	38-39
Deep Door Cabinets w/Removable Tilt Bins	40-41
Maintenance Centers w/Modular Drawers.....	42-43
1000 Series, Counter High and Standard Cabinets	44
Combination Wardrobe and Wardrobe	45
Visible Storage Cabinets.....	46-47

SAFETY STORAGE

Safety Storage Selection Guide	48
Flammable Liquid Cabinets.....	50
Acids and Corrosives Cabinets.....	51
Paints and Inks and Pesticide Cabinets.....	52
HazMat Response Cabinets.....	53

MODULAR DRAWER CABINETS (MDC)

Pre-Engineered Modular Drawer Cabinets.....	54-67
Pre-Engineered Overhead Units.....	68-69
Pre-Engineered Mobile Cabinets / Mobile Workstations	70-71
Pre-Engineered Modular Drawer Work Bench Kits.....	72-73
Workbench Conceptions	74-81
Weapons Storage	82-83

LOCKERS

Locker Features	84
Qwik-Ship Lockers.....	86-89
Corridor Lockers	90
Athletic Lockers	91
Special Application Lockers.....	92



SIMPLICITY MEETS FLEXIBILITY

Industrial Clip Shelving - The Republic Advantage

Republic Industrial Clip Shelving offers complete storage solutions for everything from basic backroom storage to integrated warehouse applications.

EASY ASSEMBLY

One-piece shelving posts up to 17' 1" high, eliminate the need for field splicing. Custom post heights are available on 1-1/2" increments from standard heights.

SPACE UTILIZATION

Series 2000 shelves are roll formed with box formations in the front and rear of the shelf for high capacity ratings, without additional reinforcing. Custom shelf widths 24"-60" in 6" increments provide better utilization of space.

WELDED UPRIGHTS

Welded upright assemblies are available up to 12' tall.

RAPID REPOSITIONING

Our compression clip is the most imitated clip in the industry. The 13 gauge clip formed with 2 rectangular lugs engages square holes for more rigidity and maximum bearing on upright posts. Clips allow for rapid repositioning of shelves, with 1-1/2" vertical shelf adjustability, resulting in easier assembly.

FLEXIBILITY

Mezzanine, multi-level, and high-rise capable. Open and closed units, along with a full line of accessories, are available to customize your unit.

COLOR SELECTION

IN STOCK



20
Dove Gray

ALSO AVAILABLE



23
Classic Tan

Customizing the Right Storage Solution

Contact us with your special requirements; Republic's engineering and manufacturing departments will develop a unique shelving solution to fit your special application.

Republic Shelving



A century of Excellence... a legacy of Quality

Basic systems are configured from posts, shelves, and compression clips and are enhanced with bins, boxes, and dividers to maximize available space and create efficient storage solutions.

SIMPLICITY



- A** Angle or Beaded Posts
- B** Full Height Dividers
- C** Compression Clips
- D** Angle and Sliding Dividers
- E** Series 2000 Shelves
- F** Welded Upright Assemblies are used to build closed units and reduce installation costs
- G** Ledge and Counter Tops extend storage and create work areas
- H** Swinging Doors
- I** Full Length Label Holders
- J** Bin Fronts keep small packages and parts contained on the shelf
- K** Front and End Bases close the bottom of the unit below the shelf

FLEXIBILITY





Industrial Clip Shelving – Open Unit

Republic's open shelving units are ideal for economical, general purpose storage. They allow light to penetrate a storage area and allow for free air flow around stored materials.

Standard side and back sway braces made from 12 gauge steel are used to stabilize open shelving units. Braces are punched to attach to upright posts with nuts and bolts.

Angle post units have angle posts on both front and rear corners. Beaded post units use beaded posts on front corners and angle posts on rear corners. Units include all necessary hardware.

Order one starter unit and the balance as adders to make up a row of shelving. Shelving units ship K.D. (knocked down) from Republic.

COLOR SELECTION

IN
STOCK



20
Dove Gray




ALSO
AVAILABLE



23
Classic Tan

Open Units

85" High with
Series 2000 Shelves



Angle Post Unit			5 Shelves		6 Shelves		7 Shelves	
W	D	Capacity	Starter	Add-On	Starter	Add-On	Starter	Add-On
36"	12"	800#	DP3001	DP3004	DP3013	DP3016	DP3025	DP3028
36"	18"	850#	DP3002	DP3005	DP3014	DP3017	DP3026	DP3029
36"	24"	800#	DP3003	DP3006	DP3015	DP3018	DP3027	DP3030
42"	12"	600#	DP3211	DP3214	DP3217	DP3220	DP3223	DP3226
42"	18"	650#	DP3212	DP3215	DP3218	DP3221	DP3224	DP3227
42"	24"	650#	DP3213	DP3216	DP3219	DP3222	DP3225	DP3228
48"	12"	500#	DP3101	DP3104	DP3113	DP3116	DP3125	DP3128
48"	18"	550#	DP3102	DP3105	DP3114	DP3117	DP3126	DP3129
48"	24"	550#	DP3103	DP3106	DP3115	DP3118	DP3127	DP3130
Beaded Post Unit			5 Shelves		6 Shelves		7 Shelves	
W	D	Capacity	Starter	Add-On	Starter	Add-On	Starter	Add-On
36"	12"	800#	DP3007	DP3010	DP3019	DP3022	DP3031	DP3034
36"	18"	850#	DP3008	DP3011	DP3020	DP3023	DP3032	DP3035
36"	24"	800#	DP3009	DP3012	DP3021	DP3024	DP3033	DP3036
42"	12"	600#	DP3261	DP3264	DP3267	DP3270	DP3273	DP3276
42"	18"	650#	DP3262	DP3265	DP3268	DP3271	DP3274	DP3277
42"	24"	650#	DP3263	DP3266	DP3269	DP3272	DP3275	DP3278
48"	12"	500#	DP3107	DP3110	DP3119	DP3122	DP3131	DP3134
48"	18"	550#	DP3108	DP3111	DP3120	DP3123	DP3132	DP3135
48"	24"	550#	DP3109	DP3112	DP3121	DP3124	DP3133	DP3136



Industrial Clip Shelving – Closed Unit


Closed shelving units are used for applications where stored materials require additional protection or containment. They utilize 24 gauge back and side sheets with the basic post/shelf connection for strength and stability. To improve the ease and speed of installation, upright assemblies can be used in place of individual posts and side sheets. End uprights are used at the beginning and end of rows. Intermediate uprights are used between units in a row. Two backs can be used when units exceed 8'1" in height; splices cover the seams on exposed two-piece backs.

The units shown feature Series 2000 heavy duty 20 gauge shelves for standard capacity requirements. Angle post units use angle posts on both front and rear corners. Beaded post units use beaded posts on front corners and angle posts on rear corners. Units are supplied with front bases to close off the unit below the bottom shelf. All necessary hardware is included.

Order one starter unit and the balance as adders to make up a row of shelving.

COLOR SELECTION

IN
STOCK



20
Dove Gray




ALSO
AVAILABLE



23
Classic Tan

Closed Units

85" High with
Series 2000 Shelves



Angle Post Unit			5 Shelves		6 Shelves		7 Shelves	
W	D	Capacity	Starter	Add-On	Starter	Add-On	Starter	Add-On
36"	12"	800#	DP3049	DP3052	DP3061	DP3064	DP3073	DP3076
36"	18"	850#	DP3050	DP3053	DP3062	DP3065	DP3074	DP3077
36"	24"	800#	DP3051	DP3054	DP3063	DP3066	DP3075	DP3078
42"	12"	600#	DP3307	DP3310	DP3313	DP3316	DP3319	DP3322
42"	18"	650#	DP3308	DP3311	DP3314	DP3317	DP3320	DP3323
42"	24"	650#	DP3309	DP3312	DP3315	DP3318	DP3321	DP3324
48"	12"	500#	DP3149	DP3152	DP3161	DP3164	DP3173	DP3176
48"	18"	550#	DP3150	DP3153	DP3162	DP3165	DP3174	DP3177
48"	24"	550#	DP3151	DP3154	DP3163	DP3166	DP3175	DP3178
Beaded Post Unit			5 Shelves		6 Shelves		7 Shelves	
W	D	Capacity	Starter	Add-On	Starter	Add-On	Starter	Add-On
36"	12"	800#	DP3055	DP3058	DP3067	DP3070	DP3079	DP3082
36"	18"	850#	DP3056	DP3059	DP3068	DP3071	DP3080	DP3083
36"	24"	800#	DP3057	DP3060	DP3069	DP3072	DP3081	DP3084
42"	12"	600#	DP3331	DP3334	DP3337	DP3340	DP3343	DP3346
42"	18"	650#	DP3332	DP3335	DP3338	DP3341	DP3344	DP3347
42"	24"	650#	DP3333	DP3336	DP3339	DP3342	DP3345	DP3348
48"	12"	500#	DP3155	DP3158	DP3167	DP3170	DP3179	DP3182
48"	18"	550#	DP3156	DP3159	DP3168	DP3171	DP3180	DP3183
48"	24"	550#	DP3157	DP3160	DP3169	DP3172	DP3181	DP3184

Industrial Clip Shelving - Upright Posts

Upright posts for clip shelving units are available in angle, beaded and heavy duty styles to meet a variety of uses. Available in lengths up to 17'1", posts are roll formed from 14 gauge steel for maximum strength and feature 1-1/2" vertical shelf adjustment. Post splices for all styles can be used for high-rise and multi-level shelving applications.

COLOR SELECTION

IN STOCK



20
Dove Gray

ALSO AVAILABLE



23
Classic Tan



Angle

Angle posts are the most economical design.

Beaded

Beaded posts offer clear shelf access.









Heavy Duty

Heavy duty posts with a rectangular tube design offer additional capacity. Heavy duty posts provide up to four times the capacities of angle and beaded posts.



Industrial Clip Shelving - Post Loads

Shelving Post Load Table - ANSI MH 28.1 - 1997

	Single Angle Post - Sway Brace Bolted Side Sheet Welded End Upright	Double Angle Post - Sway Brace Bolted Side Sheet	Double Angle Post Welded Intermediate Upright	Beaded Post - Sway Brace Bolted Side Sheet	Beaded Post - Welded Upright	Heavy Duty Post
						
Shelf Spacing	Allowable Axial (Vertical) Load (lbs.) Per Post Type					
12"	1800	3600	4800	4300	4900	8300
18"	1325	2650	4500	3100	4100	8000
24"	900	1600	4100	1950	3200	7800
30"	670	1340	3600	1300	2250	7500
36"	500	1000	3100	1000	1650	7000
42"	--	--	2500	750	1250	6500
48"	--	--	1900	--	--	5900

Post capacities are dependent upon shelf spacing. The carrying capacity of a post increases as shelf spacing decreases. Do not exceed the allowable loads listed.

Industrial Clip Shelving - Shelf Loads

Allowable Shelf Loads - ANSI MH 28.1

Series 2000

Shelf Size	18 gauge	20 gauge	22 gauge	Shelf Size	18 gauge	20 gauge	22 gauge	Shelf Size	18 gauge	20 gauge	22 gauge	Shelf Size	18 gauge	20 gauge	22 gauge
24" x 12"	--	850	500	36" x 24"	1250	800	550	42" x 32"	950	600	330	54" x 18"	750	480	--
24" x 18"	--	750	500	36" x 30"	900	600	450	42" x 36"	900	550	300	54" x 24"	750	480	--
24" x 24"	--	600	500	36" x 36"	900	550	350	48" x 12"	750	500	275	54" x 30"	650	460	--
30" x 12"	--	850	500	42" x 12"	900	600	330	48" x 15"	850	525	285	54" x 32"	650	460	--
30" x 18"	--	800	500	42" x 15"	900	600	330	48" x 18"	900	550	300	54" x 36"	600	430	--
30" x 24"	--	700	500	42" x 18"	950	650	355	48" x 24"	900	550	300	60" x 18"	600	420	--
36" x 12"	1100	800	500	42" x 24"	1000	650	355	48" x 30"	750	525	285	60" x 30"	560	400	--
36" x 15"	1100	825	500	42" x 30"	1000	625	340	48" x 36"	750	500	275	60" x 36"	500	375	--
36" x 18"	1200	850	500												

* Loads are limited by the ANSI MH 28.1-1997 safety factor of 1.5. Do not exceed uniformly distributed loads shown. Concentrated load points or impact (dropped) loads could cause shelf failure even though the impact load is less than allowable load shown.

Industrial Clip Shelving - Components and Accessories

Series 2000 shelves are available in extra heavy duty, heavy duty, and medium duty construction (18, 20, or 22 gauge) to meet a wide range of capacity requirements. Sizes range from 24" to 60" wide and 9" to 36" deep. For custom applications, the width dimension is fully adjustable to match specific storage requirements. Series 2000 shelves are roll formed with box formations in the front and rear of the shelf for high capacity ratings, without additional reinforcing.

Compression clips are formed from heavy 13 gauge steel for maximum strength. They engage square holes on upright posts to form a secure support for the shelf. As weight is added to the shelf, compression increases to transfer the load to the posts.

Standard side and back sway braces made from 12 gauge steel are used to stabilize open shelving units. Braces are punched to attach to upright posts with nuts and bolts.

Foot plate is used to anchor shelving units to the floor. Made from 13 gauge steel and measures 2-7/8" x 2-1/8".

COLOR SELECTION

IN STOCK



20
Dove Gray

ALSO AVAILABLE



23
Classic Tan

Angle Post	
7'1" H	100049
8'1" H	100057
10'1" H	100073
Splice	199220
Beaded Post	
7'1" H	107049
8'1" H	107057
10'1" H	107073
Splice	199219
Foot Plate -	
Angle & Beaded Post	
2-1/8" x 2-7/8"	193701
Sway Braces for Units	
12", 24" D, 24" W	106807
18", 24" D, 30"W	106808
30", 36" D, 36" W	106810
42", 48" W	106811

Back	
36" W x 4'1" H	105171
36" W x 5'1" H	105179
36" W x 7'1" H	105195
48" W x 4'1" H	105317
48" W x 5'1" H	105325
48" W x 7'1" H	105341

Side Sheet	
12" D x 4'1" H	101098
12" D x 5'1" H	101106
12" D x 7'1" H	101122

Side Sheet (continued)	
18" D x 4'1" H	101244
18" D x 5'1" H	101252
18" D x 7'1" H	101268
24" D x 4'1" H	101317
24" D x 5'1" H	101325
24" D x 7'1" H	101341

Welded End Upright Assembly - Beaded Post	
12" D x 7'1" H	107322
18" D x 7'1" H	107468
24" D x 7'1" H	107541

Welded Intermediate Upright Assembly - Beaded Post	
12" D x 7'1" H	108322
18" D x 7'1" H	108468
24" D x 7'1" H	108541

Series 2000 - 18 ga. Shelves	
48" W x 18" D	102219
48" W x 24" D	102224

Series 2000 - 20 ga. Shelves	
36" W x 12" D	102107
36" W x 18" D	102117
36" W x 24" D	102122
42" W x 18" D	102118
48" W x 12" D	102109
48" W x 18" D	102119
48" W x 24" D	102124

Series 2000 - 22 ga. Shelves	
36" W x 12" D	102007
36" W x 18" D	102017
36" W x 24" D	102022

Front Base - Angle & Beaded Post	
36" W x 4" H	107932
48" W x 4" H	107934

Clips (supplied with shelves)	
Shelf Clip	193719
Half Shelf Clip	193728

Full Height Dividers	
12" D x 6" H	106521
12" D x 9" H	106523
12" D x 12" H	H106525
18" D x 6" H	106543
18" D x 9" H	106545
18" D x 12" H	106547
18" D x 16 1/2" H	106550
24" D x 6" H	106554
24" D x 9" H	106556
24" D x 12" H	106558

Angle Dividers	
12" D x 3" H	106673

Labels Holders	
36" W x 7/8" H	103756
48" W x 7/8" H	103758

Bin Fronts	
36" W x 3" H	109842
48" W x 3" H	109844

Swinging Doors	
36" W x 84" H	1088141
48" W x 84" H	1088241

Accessories and Related Products

Full Height Dividers

attach to shelves to create bins in the shelving unit. Made from 22 gauge steel and formed with beaded ends for clear access to shelf space. Top and bottom flanges are punched with holes to attach to shelf using push-in plastic clips.



Angle Dividers are used to partition surfaces. Made from 22 gauge having a 3/4" return flange on the bottom allowing them to be bolted to shelf surfaces.



Label Holders run the full width of the shelf and accept inserts for content identification.



Heavy Duty Sliding Dividers of 18 gauge steel may be used for more rugged storage applications.



Bin Fronts of 18 gauge steel keep small parts and packages on the shelf. The top and bottom are flanged so the bin front may be used as a card holder.

Swinging Doors provide lockable and clean storage.

Industrial Clip Shelving Bin Units offer convenient, organized storage for parts stores, tool departments, office supply areas, warehouses, assembly areas, and a host of other storage applications.

The full height dividers that create the bins are formed from 22 gauge steel with a beaded end for clear, safe access to bin contents. Dividers can be repositioned on the shelf to accommodate changing storage requirements.

Order one starter unit and the balance as adders to make up a row of shelving. Units are shipped K.D. (knocked down) from Republic. Bin fronts sold separately. See page 7.



COLOR SELECTION

IN STOCK






20
Dove Gray

ALSO AVAILABLE






23
Classic Tan

Bin Units 85" High with Series 2000 Shelves



W	D	Capacity	10 Shelves 9 Openings		8 Shelves 14 Openings		9 Shelves 29 Openings	
			Starter	Adder	Starter	Adder	Starter	Adder
36"	12"	800#	DP1813	DP1816	DP1097	DP1100	DP1145	DP1148
36"	18"	850#	DP1814	DP1817	DP1098	DP1101	DP1146	DP1149
36"	24"	800#	DP1815	DP1818	DP1099	DP1102	DP1147	DP1150



W	D	Capacity	9 Shelves 32 Openings		14 Shelves 117 Openings		11 Shelves 42 Openings	
			Starter	Adder	Starter	Adder	Starter	Adder
36"	12"	800#	DP1157	DP1160	DP1831	DP1834	DP1191	DP1194
36"	18"	850#	DP1158	DP1161	DP1832	DP1835	DP1192	DP1195
36"	24"	800#	DP1159	DP1162	DP1833	DP1836	DP1193	DP1196



Industrial Clip Shelving Plastic Bin Units provide economical, high-density storage of small parts and loose materials. Formed from high-density injection molded-plastic, bins won't rust or corrode. A special reinforced design adds strength and prevents spreading, allowing bins to be stacked.

Clear front windows may be added to maximize capacity, prevent spilling, and convert the bin to a tote. Optional dividers keep stored materials organized within the bin.

Open units feature angle posts, side and back sway bracing, and (36"x12" and 36"x18") 22 ga. Series 2000 shelves (42"x18").

Order one starter unit and the balance as adders to make up a row of shelving. Shelving units are shipped K.D. (knocked down) from Republic. Bins are shipped separately. Contact Republic for details.

COLOR SELECTION

IN
STOCK



20
Dove Gray

ALSO
AVAILABLE



23
Classic Tan

Plastic Bin Units

85" High with 22 Gauge Series 2000 Shelves and Bins

Shelving unit dimensions: 42" W x 18" D

Capacity: 335 lbs.



6 Shelves Configurations

Starter: DP1807
Adder: D1808

- **10 Bins**
8-3/8" W
11-7/8" H
19-3/4" L

6 Shelves Configurations

Starter: DP1811
Adder: D1812

- **15 Bins**
12-3/8" W
11-7/8" H
19-3/4" L



7 Shelves Configurations


Starter: DP1809
Adder: D1810

- **3 Bins**
12-3/8" W
5-7/8" H
19-3/4" L
- **6 Bins**
12-3/8" W
7-7/8" H
19-3/4" L
- **3 Bins**
12-3/8" W
11-7/8" H
19-3/4" L
- **4 Bins**
18-3/8" W
11-7/8" H
19-3/4" L

Shelving Mezzanine System Custom Designed Systems


Take advantage of your existing vertical space and save substantially by installing a Republic shelving mezzanine system.

To assure you of the utmost structural integrity and safety, all designs are performed under the direct supervision of a Professional Engineer. Our designs comply with AISC and AISI specifications as well as applicable building codes.




Multi-Level Shelving

Multi-level shelving systems with catwalks are ideal for increasing the capacity of shelf storage installations. In most cases, the catwalk supports can be fastened to shelving or rack uprights, eliminating the need for free standing columns. When necessary, additional structural columns are used to support the mezzanine framing members.



Deck Over Shelving


Deck over shelving supported mezzanine structures combine the features of both the Free Standing and multi-level styles. Like multi-level shelving, deck supports can be installed onto existing shelving uprights. As with Free Standing Mezzanines, the upper level is free for storage, assembly activities, office space or other applications.



Steel Bar Grating - 1" x 1/8" steel bar grating offers an 82% open area allowing light and ventilation to penetrate. Frequently, the need for a lower level sprinkler is eliminated.



Roof deck with plywood floor provides a smooth surface on which to walk or roll carts. Roof deck is 1 1/2" deep, 20 gauge steel (18 ga. is optional); plywood floor covering is 3/4" thick. Polyethylene coated plywood, resin floors and fire retardant plywood products are available.



Roof Deck/Steel Floor - easy to clean, this is a natural choice for pharmaceutical, food processing and chemical plants as well as other applications that involve frequent clean up. 12 gauge steel floor plate is available with diamond texture or smooth finish.

Field poured concrete and plank grating decks are also available.



ONE-PIECE SHELVING POSTS

ELIMINATE THE NEED FOR FIELD SPLICING



Series 2000 shelves are roll formed with box formations in the front and rear of the shelf for high capacity ratings, without additional reinforcing.

The 13 gauge clip formed with 2 rectangular lugs engages square holes for more rigidity and maximum bearing on upright posts. Clips allow for rapid repositioning of shelves, with 1-1/2" vertical shelf adjustability, resulting in easier assembly.



A century of Excellence... a legacy of Quality
republicstorage.com | 800-477-1255

STORAGE STRATEGIES

EXPANDED PRODUCT OFFERINGS THAT SUPPORT MAXIMUM UTILIZATION OF SPACE

MEET THE NEW FAMILY OF PRODUCTS

BULK STORAGE RACK

Aimed for the hand-loading of intermediate weight bulky items. See pages 14-20.

RIVET RACK

Designed as a sturdy, rigid structure. See pages 22-23.

PALLET RACK

Roll formed upright provides greater strength-to-weight ratio. See pages 24-28.

STORAGE CABINETS

Securely store tools, equipment, maintenance, repair parts, supply items, and even person effects. See pages 34-47.

SAFETY CABINETS

Lockable storage for chemicals that greatly reduces risk to exposure and collateral damage. Conforms to NFPA Fire Code No. 30 and OSHA Standards. See pages 48-53.

MODULAR DRAWER CABINETS

High-density storage solution for small to mid-sized products while reducing your storage footprint by as much as 50%. See pages 54-71.

WORKBENCHES

The ideal option for a workbench with storage. See pages 72-81.

WEAPONS STORAGE

The ultimate storage solution for military, domestic defense, and police professionals. See pages 82-83.



Storage Strategies For Experts That Want More Than A Collection Of Features

Republic is built with a tenacious team of individuals that are closely integrated with distributors to provide first-rate service.

A century of Excellence... a legacy of Quality





PRE-ENGINEERED BULK STORAGE RACKS

Pre-Engineered Bulk Storage Racks

Designed for the hand-loading of intermediate weight bulky items. In addition to storing cartoned merchandise, it can be used for display racking. Heavy-duty 14-gauge steel beams included. For specifications on individual components, see pages 17-20.



Starter with No Decking
Front-To-Back supports per level:
60"w-1, 72", 84", 96"w-2




Starter with Solid Decking
Front-To-Back supports per level:
60"w-1, 72", 84", 96"w-2



Add-on with Ribbed Decking
Front-To-Back supports per level:
60"w-1, 72", 84", 96"w-2

COLOR SELECTION



20
Dove Gray



23
Classic Tan

IN STOCK

ALSO AVAILABLE


Levels	Height	Depth	Type	60" Wide Racks					72" Wide Racks				
				No Deck	Solid	Ribbed	H.D. Wire	Particle	No Deck	Solid	Ribbed	H.D. Wire	Particle
3	60"	24"	Starter	RS67201S	N/A	RS67201SR	RS67201SW	RS67201SP	RS67301S	RS67301SD	RS67301SR	RS67301SW	RS67301SP
			Add-on	RS67201	N/A	RS67201R	RS67201W	RS67201P	RS67301	RS67301D	RS67301R	RS67301W	RS67301P
		30"	Starter	RS67202S	RS67202SD	RS67202SR	RS67202SW	N/A	RS67302S	N/A	RS67302SR	RS67302SW	N/A
			Add-on	RS67202	RS67202D	RS67202R	RS67202W	N/A	RS67302	N/A	RS67302R	RS67302W	N/A
		36"	Starter	RS67203S	RS67203SD	RS67203SR	RS67203SW	RS67203SP	RS67303S	RS67303SD	RS67303SR	RS67303SW	RS67303SP
			Add-on	RS67203	RS67203D	RS67203R	RS67203W	RS67203P	RS67303	RS67303D	RS67303R	RS67303W	RS67303P
		48"	Starter	RS67205S	RS67205SD	RS67205SR	RS67205SW	RS67205SP	RS67305S	RS67305SD	RS67305SR	RS67305SW	RS67305SP
			Add-on	RS67205	RS67205D	RS67205R	RS67205W	RS67205P	RS67305	RS67305D	RS67305R	RS67305W	RS67305P
3	72"	24"	Starter	RS67211S	N/A	RS67211SR	RS67211SW	RS67211SP	RS67311S	RS67311SD	RS67311SR	RS67311SW	RS67311SP
			Add-on	RS67211	N/A	RS67211R	RS67211W	RS67211P	RS67311	RS67311D	RS67311R	RS67311W	RS67311P
		30"	Starter	RS67212S	RS67212SD	RS67212SR	RS67212SW	N/A	RS67312S	N/A	RS67312SR	RS67312SW	N/A
			Add-on	RS67212	RS67212D	RS67212R	RS67212W	N/A	RS67312	N/A	RS67312R	RS67312W	N/A
		36"	Starter	RS67213S	RS67213SD	RS67213SR	RS67213SW	RS67213SP	RS67313S	RS67313SD	RS67313SR	RS67313SW	RS67313SP
			Add-on	RS67213	RS67213D	RS67213R	RS67213W	RS67213P	RS67313	RS67313D	RS67313R	RS67313W	RS67313P
		48"	Starter	RS67215S	RS67215SD	RS67215SR	RS67215SW	RS67215SP	RS67315S	RS67315SD	RS67315SR	RS67315SW	RS67315SP
			Add-on	RS67215	RS67215D	RS67215R	RS67215W	RS67215P	RS67315	RS67315D	RS67315R	RS67315W	RS67315P
3	84"	24"	Starter	RS67221S	N/A	RS67221SR	RS67221SW	RS67221SP	RS67321S	RS67321SD	RS67321SR	RS67321SW	RS67321SP
			Add-on	RS67221	N/A	RS67221R	RS67221W	RS67221P	RS67321	RS67321D	RS67321R	RS67321W	RS67321P
		30"	Starter	RS67222S	RS67222SD	RS67222SR	RS67222SW	N/A	RS67322S	N/A	RS67322SR	RS67322SW	N/A
			Add-on	RS67222	RS67222D	RS67222R	RS67222W	N/A	RS67322	N/A	RS67322R	RS67322W	N/A
		36"	Starter	RS67223S	RS67223SD	RS67223SR	RS67223SW	RS67223SP	RS67323S	RS67323SD	RS67323SR	RS67323SW	RS67323SP
			Add-on	RS67223	RS67223D	RS67223R	RS67223W	RS67223P	RS67323	RS67323D	RS67323R	RS67323W	RS67323P
		48"	Starter	RS67225S	RS67225SD	RS67225SR	RS67225SW	RS67225SP	RS67325S	RS67325SD	RS67325SR	RS67325SW	RS67325SP
			Add-on	RS67225	RS67225D	RS67225R	RS67225W	RS67225P	RS67325	RS67325D	RS67325R	RS67325W	RS67325P
4	96"	24"	Starter	RS67231S	N/A	RS67231SR	RS67231SW	RS67231SP	RS67331S	RS67331SD	RS67331SR	RS67331SW	RS67331SP
			Add-on	RS67231	N/A	RS67231R	RS67231W	RS67231P	RS67331	RS67331D	RS67331R	RS67331W	RS67331P
		30"	Starter	RS67232S	RS67232SD	RS67232SR	RS67232SW	N/A	RS67332S	N/A	RS67332SR	RS67332SW	N/A
			Add-on	RS67232	RS67232D	RS67232R	RS67232W	N/A	RS67332	N/A	RS67332R	RS67332W	N/A
		36"	Starter	RS67233S	RS67233SD	RS67233SR	RS67233SW	RS67233SP	RS67333S	RS67333SD	RS67333SR	RS67333SW	RS67333SP
			Add-on	RS67233	RS67233D	RS67233R	RS67233W	RS67233P	RS67333	RS67333D	RS67333R	RS67333W	RS67333P
		48"	Starter	RS67235S	RS67235SD	RS67235SR	RS67235SW	RS67235SP	RS67335S	RS67335SD	RS67335SR	RS67335SW	RS67335SP
			Add-on	RS67235	RS67235D	RS67235R	RS67235W	RS67235P	RS67335	RS67335D	RS67335R	RS67335W	RS67335P

NOTE: In the interest of safety, Republic strongly recommends that racks that are 72" or higher be floor and/or wall anchored. See page 16 for important anchoring information.



Pre-Engineered Bulk Storage Racks

Designed for the hand-loading of intermediate weight bulky items. In addition to storing cartoned merchandise, it can be used for display racking. Heavy-duty 14-gauge steel beams included. For specifications on individual components, see pages 17-20.



Starter with Waterfall H. D. Wire Decking
Front-To-Back supports per level:
60"w-1, 72", 84", 96"w-2



Add-On with Particle Board
Front-To-Back supports per level:
60"w-2, 72"w-3, 96"w-4

COLOR SELECTION



IN STOCK

ALSO AVAILABLE

		60" Wide Racks							72" Wide Racks				
Levels	Height	Depth	Type	No Deck	Solid	Ribbed	H.D. Wire	Particle	No Deck	Solid	Ribbed	H.D. Wire	Particle
3	60"	24"	Starter	RS67401S	RS67401SD	RS67401SR	RS67401SW	N/A	RS67501S	RS67501SD	RS67501SR	RS67501SW	RS67501SP
			Add-on	RS67401	RS67401D	RS67401R	RS67401W	N/A	RS67501	RS67501D	RS67501R	RS67501W	RS67501P
		30"	Starter	RS67402S	N/A	RS67402SR	RS67402SW	N/A	RS67502S	N/A	RS67502SR	RS67502SW	N/A
			Add-on	RS67402	N/A	RS67402R	RS67402W	N/A	RS67502	N/A	RS67502R	RS67502W	N/A
		36"	Starter	RS67403S	RS67403SD	RS67403SR	RS67403SW	N/A	RS67503S	RS67503SD	RS67503SR	RS67503SW	RS67503SP
			Add-on	RS67403	RS67403D	RS67403R	RS67403W	N/A	RS67503	RS67503D	RS67503R	RS67503W	RS67503P
		48"	Starter	RS67405S	RS67405SD	RS67405SR	RS67405SW	N/A	RS67505S	RS67505SD	RS67505SR	RS67505SW	RS67505SP
			Add-on	RS67405	RS67405D	RS67405R	RS67405W	N/A	RS67505	RS67505D	RS67505R	RS67505W	RS67505P
3	72"	24"	Starter	RS67411S	RS67411SD	RS67411SR	RS67411SW	N/A	RS67511S	RS67511SD	RS67511SR	RS67511SW	RS67511SP
			Add-on	RS67411	RS67411D	RS67411R	RS67411W	N/A	RS67511	RS67511D	RS67511R	RS67511W	RS67511P
		30"	Starter	RS67412S	N/A	RS67412SR	RS67412SW	N/A	RS67512S	N/A	RS67512SR	RS67512SW	N/A
			Add-on	RS67412	N/A	RS67412R	RS67412W	N/A	RS67512	N/A	RS67512R	RS67512W	N/A
		36"	Starter	RS67413S	RS67413SD	RS67413SR	RS67413SW	N/A	RS67513S	RS67513SD	RS67513SR	RS67513SW	RS67513SP
			Add-on	RS67413	RS67413D	RS67413R	RS67413W	N/A	RS67513	RS67513D	RS67513R	RS67513W	RS67513P
		48"	Starter	RS67415S	RS67415SD	RS67415SR	RS67415SW	N/A	RS67515S	RS67515SD	RS67515SR	RS67515SW	RS67515SP
			Add-on	RS67415	RS67415D	RS67415R	RS67415W	N/A	RS67515	RS67515D	RS67515R	RS67515W	RS67515P
3	84"	24"	Starter	RS67421S	RS67421SD	RS67421SR	RS67421SW	N/A	RS67521S	RS67521SD	RS67521SR	RS67521SW	RS67521SP
			Add-on	RS67421	RS67421D	RS67421R	RS67421W	N/A	RS67521	RS67521D	RS67521R	RS67521W	RS67521P
		30"	Starter	RS67422S	N/A	RS67422SR	RS67422SW	N/A	RS67522S	N/A	RS67522SR	RS67522SW	N/A
			Add-on	RS67422	N/A	RS67422R	RS67422W	N/A	RS67522	N/A	RS67522R	RS67522W	N/A
		36"	Starter	RS67423S	RS67423SD	RS67423SR	RS67423SW	N/A	RS67523S	RS67523SD	RS67523SR	RS67523SW	RS67523SP
			Add-on	RS67423	RS67423D	RS67423R	RS67423W	N/A	RS67523	RS67523D	RS67523R	RS67523W	RS67523P
		48"	Starter	RS67425S	RS67425SD	RS67425SR	RS67425SW	N/A	RS67525S	RS67525SD	RS67525SR	RS67525SW	RS67525SP
			Add-on	RS67425	RS67425D	RS67425R	RS67425W	N/A	RS67525	RS67525D	RS67525R	RS67525W	RS67525P
4	96"	24"	Starter	RS67431S	RS67431SD	RS67431SR	RS67431SW	N/A	RS67531S	RS67531SD	RS67531SR	RS67531SW	RS67531SP
			Add-on	RS67431	RS67431D	RS67431R	RS67431W	N/A	RS67531	RS67531D	RS67531R	RS67531W	RS67531P
		30"	Starter	RS67432S	N/A	RS67432SR	RS67432SW	N/A	RS67532S	N/A	RS67532SR	RS67532SW	N/A
			Add-on	RS67432	N/A	RS67432R	RS67432W	N/A	RS67532	N/A	RS67532R	RS67532W	N/A
		36"	Starter	RS67433S	RS67433SD	RS67433SR	RS67433SW	N/A	RS67533S	RS67533SD	RS67533SR	RS67533SW	RS67533SP
			Add-on	RS67433	RS67433D	RS67433R	RS67433W	N/A	RS67533	RS67533D	RS67533R	RS67533W	RS67533P
		48"	Starter	RS67435S	RS67435SD	RS67435SR	RS67435SW	N/A	RS67535S	RS67535SD	RS67535SR	RS67535SW	RS67535SP
			Add-on	RS67435	RS67435D	RS67435R	RS67435W	N/A	RS67535	RS67535D	RS67535R	RS67535W	RS67535P

NOTE: In the interest of safety, Republic strongly recommends that racks that are 72" or higher be floor and/or wall anchored. See page 16 for important anchoring information.

Step 1

Select Upright Assembly (see page 17)

Select Uprights by size in either fully welded set-up or knocked down.

Step 2

Select Beam (see page 17)

Select Beam based on width of opening and weight capacity needed:

- Heavy and Extra Heavy-Duty "Z" Beams.
- Low-Profile Beams.

Step 3

Select Decking (see page 18)

Select Decking based on size and style desired:

- Solid Decking
- Particle Board Decking
- Ribbed Decking
- Wire Decking

Step 4

Select Front-to-Back Supports (see page 19)

Select Front-To-Back Support based on depth of upright and decking.

Step 5

Select Accessories (see page 19)



COLOR SELECTION

IN STOCK



ALSO AVAILABLE




DIMENSIONS FOR BULK STORAGE RACKS

When figuring floor space for Republic bulk storage racks, first add 4-7/32" to nominal beam length for width of single section.


Next, add 2-15/32" to nominal beam length for each additional section.

Then, add 9/16" to nominal depth of upright assembly.

Also, racks must be level and plumb and installed per assembly instruction #10206-AA.



"C"
Heavy - 3-5/8"
Extra-Heavy - 4-5/8"
Low Profile - 2"



Nominal Rack Depth	Rack Depth "A"	Inside Depth "B"
15"	15-9/16"	15-1/4"
18"	18-9/16"	18-1/4"
24"	24-9/16"	24-1/4"
30"	30-9/16"	30-1/4"
36"	36-9/16"	36-1/4"
42"	42-9/16"	42-1/4"
48"	48-9/16"	48-1/4"

Capacities shown are maximum safe evenly distributed static loads per pair of beams with front-to-back support. Upright capacities are based on beam centers no greater than 36".

BULK STORAGE RACKS - HOW TO ORDER




Step 1

Select Upright Assembly

Choose All-Welded or K.D.

- Welded Upright has tubular bracing, mig-welded to post.
- K.D. (knocked down) Upright includes two posts and two or more bolt on ladder braces.
 - Upright: 1-3/4" x 1-13/16"
 - 14-gauge
 - Adjustment on 1-1/2" centers.
- 10,000 lb. capacity per section. (All-Welded or K.D.).



K.D. Upright Posts Only

Height	Part #
60"	RS63602
72"	RS63603
84"	RS63604
96"	RS63605
120"	RS63607
144"	RS63609

K.D. Ladder Braces Only

Use as replacement, or as a component.

Depth	Part #
15"	RS635152
18"	RS635182
24"	RS635242
30"	RS635302
36"	RS635362
42"	RS635422
48"	RS635482

Depth	60" High		72" High		84" High		96" High		120" High		144" High	
	Set-Up Part #	K.D. Part #	Set-Up Part #	K.D. Part #	Set-Up Part #	K.D. Part #	Set-Up Part #	K.D. Part #	Set-Up Part #	K.D. Part #	Set-Up Part #	K.D. Part #
15"	N/A	RS63152	N/A	RS63153	N/A	RS63154	N/A	RS63155	N/A	RS63157	N/A	RS63159
18"	N/A	RS63182	N/A	RS63183	N/A	RS63184	N/A	RS63185	N/A	RS63187	N/A	RS63189
24"	RS64242	RS63242	RS64243	RS63243	RS64244	RS63244	RS64245	RS63245	RS64247	RS63247	RS64249	RS63249
30"	RS64302	RS63302	RS64303	RS63303	RS64304	RS63304	RS64305	RS63305	RS64307	RS63307	RS64309	RS63309
36"	RS64362	RS63362	RS64363	RS63363	RS64364	RS63364	RS64365	RS63365	RS64367	RS63367	RS64369	RS63369
42"	RS64422	RS63422	RS64423	RS63423	RS64424	RS63424	RS64425	RS63425	RS64427	RS63427	RS64429	RS63429
48"	RS64482	RS63482	RS64483	RS63483	RS64484	RS63484	RS64485	RS63485	RS64487	RS63487	RS64489	RS63489

Step 2


Select Beams

Heavy and Extra Heavy-Duty "Z" Beams


Unique "Z" beam design increases strength and load capacity, resists tipping and eliminates wasted space, front-to-back. Beam clips are mig-welded for added strength. Fold in lock tab easily engages for security against displacement.

Low-Profile Beams

Offer light weight, high-density alternative for commercial applications. Narrow height design increases vertical storage capacity.



Features



Note: The catalog numbers in the chart below are sold as 2 packs

Nominal Width	Actual Width	"D"	"E"	Heavy-Duty 14-Gauge		Extra-Heavy Duty 12-Gauge		Low Profile 12-Gauge	
				Part #	Capacity	Part #	Capacity	Part #	Capacity
48"	48-1/2"	50-15/32"	48-23/32"	RS62148	3,300 lbs.	*	*	RS62048	665 lbs.
60"	60-1/2"	62-15/32"	60-23/32"	RS62160	2,600 lbs.	*	*	RS62060	530 lbs.
72"	72-1/2"	74-15/32"	72-23/32"	RS62172	1,900 lbs.	RS62272	3,300 lbs.	RS62072	440 lbs.
84"	84-1/2"	86-15/32"	84-23/32"	RS62184	1,775 lbs.	*	*	RS62084	380 lbs.
96"	96-1/2"	98-15/32"	96-23/32"	RS62196	1,650 lbs.	RS62296	3,300 lbs.	RS62096	330 lbs.

Capacities shown are maximum safe evenly distributed static loads per pair of beams with front-to-back support. Upright capacities are based on beam centers no greater than 36".


*Items available through manufactured schedule.




Step 3

Select Decking


Two to three panels per level are required based on beam width. (See chart below).




Solid Decking - Features heavy-duty industrial shelves for a smooth uninterrupted decking surface.



Particle Board Decking* - Durable, 5/8" thick particle board decking.



Ribbed Decking - Versatile 20-gauge ribbed decking. Ribbs allow for space to grab packages easily and prevent pinched fingers. 1-3/4" w x 5/8" d rib.



Wire Decking - This deck is the best choice when air circulation and light penetration are required. Also allows water to flow in the event a sprinkler system is activated. Available in #27 Frost Gray. Choose heavy-duty waterfall or light-duty flat wire decking:

Heavy-Duty Waterfall Decking - Featuring 4" x 2" wire mesh with heavy gauge welded channels for added strength and a 1-1/4" waterfall along both front and rear edge.

Light-Duty Flat Wire Decking - Featuring 4" x 2" wire mesh with 5-gauge welded reinforcement wires.

Beam Width Quantity of Decking Panels Required

48"	2 - 24" wide
60"	1 - 24" wide + 2 - 18" wide
72"	3 - 24" wide
84"	2 - 24" wide + 2 - 18" wide
96"	4 - 24" wide

Parts listed in single pack quantities, for multi-pack quantities, contact Customer Service at 1-800-477-1255

Width	Depth	Ribbed Decking		H. D. Wire Decking		Wire Decking		Solid Decking		Particle Board Decking	
		Part #	Capacity	Part #	Capacity	Part #	Capacity	Part #	Capacity	Part #	Capacity
18"	36"	*	*	*	*	*	*	RS8561H	800 lbs.	*	*
18"	42"	*	*	*	*	*	*	RS8566H	700 lbs.	*	*
18"	48"	*	*	*	*	*	*	RS8301X	700 lbs.	*	*
24"	24"	RS652241	1,400 lbs.	RS65454	1,200 lbs.	RS65454FW	550 lbs.	*	*	*	*
24"	30"	RS652301	1,200 lbs.	RS65456	1,200 lbs.	*	*	*	*	*	*
24"	36"	RS652361	1,000 lbs.	RS65458	1,700 lbs.	RS65458FW	550 lbs.	RS8562H	800 lbs.	RS72508	750 lbs.
24"	42"	RS652421	800 lbs.	RS65460	1,600 lbs.	*	*	RS8567X	880 lbs.	*	*
24"	48"	RS652481	600 lbs.	RS65462	1,500 lbs.	RS65462FW	500 lbs.	RS8302X	750 lbs.	RS72528	750 lbs.
36"	24"	RS653241	1,800 lbs.	RS65472	1,700 lbs.	RS65472FW	550 lbs.	RS8562H	800 lbs.	RS72508	750 lbs.
36"	30"	RS653301	1,600 lbs.	RS65474	1,700 lbs.	*	*	RS8558H	740 lbs.	*	*
36"	36"	RS653361	1,400 lbs.	RS65476	1,700 lbs.	RS65476FW	550 lbs.	RS8586X	850 lbs.	*	*
36"	42"	RS653421	1,100 lbs.	RS65478	2,500 lbs.	*	*	RS8589X	820 lbs.	*	*
36"	48"	RS653481	900 lbs.	RS65480	1,500 lbs.	RS65480FW	500 lbs.	RS8592X	640 lbs.	RS72532	750 lbs.


Capacities are based on evenly distributed static load, with beams joined by correct number of front-to-back supports and no allowance for shock or uneven loading. Load is limited to support capacity of beams and upright assemblies.

*Items available through manufactured schedule.

Step 4

Select Front-to-Back Supports

One to four supports per level are required based on beam width and type of decking. (See chart below).



Used to minimize beam rotation under heavy loads. Also serves as a plywood support. No hardware or tools needed.

Rack Depth	Front-to-Back Supports Part #
15"	RS65815
18"	RS65818
24"	RS65824
30"	RS65830
36"	RS65836
42"	RS65842
48"	RS65848

Minimum required when used with:

Beam Width	Plywood/ Particle Board	Solid/Ribbed/ Flat Wire/ No Deck
48"	2	1
60"	2	1
72"	3	2
84"	3	2
96"	4	2

Step 5

Select Accessories



Back-To-Back Support

Ties bulk storage rack back to back, maintains stability and spacing without interfering with storage space. Overall Extension: 12" - 17-1/2"


RS65140



Back-To-Wall Support

Bolts to upright member and wall to maintain shelving stability. Overall Extension: 12" - 17-1/4"

RS65145



Anchoring Foot

To anchor upright assembly to floor. #20 Dove Gray only.

RS65130

Wedge Anchor

3/8" dia. x 3", 1 per post

RS8861



End-Tie Plate

Ties Bulk Storage Rack back to back to maintain uniform spacing and stability. 3-1/2" x 2-1/2"

RS65142

For Mezzanine Applications



Mezzanine Splice Channels

For two-level Bulk Storage Rack applications, simply insert reinforcing splice channels into bottom upright assembly posts and fit second-level upright assembly posts over channel extensions. The galvanized splice channels provide rigidity at the splice.

RS65120


Additional Levels with Decking

Quickly add more levels to your Bulk Storage Rack shelving units with the decking options below. Unique "Z" Beam design increases strength and load capacity, resists tipping and eliminates wasted space. Beam clips are mig-welded for added strength. Fold in lock tab easily engages for security against displacement.


Available in #20 Dove Gray.

Additional Levels Includes


Two (2) Heavy-duty, 14-gauge beams.
Front-to-back supports and/or decking panels to fit length of beam.




Solid Decking




Particle Board Decking



Ribbed Decking



H.D. Wire Decking



No Decking

		No Decking		Particle Board Decking		Ribbed Decking		H.D. Wire Decking		Solid Decking	
Width	Depth	Part #	Capacity per Level	Part #	Capacity per Level	Part #	Capacity per Level	Part #	Capacity per Level	Part #	Capacity per Level
60"	24"	RSDD66010	2,600 lbs	RSDD66010P	2,600 lbs	RSDD66010R	2,600 lbs	RSDD66030	2,600 lbs	—	—
	36"	RSDD66011	2,600 lbs	RSDD66011P	2,600 lbs	RSDD66011R	2,600 lbs	RSDD66031	2,600 lbs	—	—
	48"	RSDD66012	2,600 lbs	RSDD66012P	2,600 lbs	RSDD66012R	2,600 lbs	RSDD66032	2,600 lbs	—	—
72"	24"	RSDD66013	1,900 lbs	RSDD66013P	1,900 lbs	RSDD66013R	1,900 lbs	RSDD66033	1,900 lbs	RSDD66023	1,900 lbs
	36"	RSDD66014	1,900 lbs	RSDD66014P	1,900 lbs	RSDD66014R	1,900 lbs	RSDD66034	1,900 lbs	RSDD66024	1,900 lbs
	48"	RSDD66015	1,900 lbs	RSDD66015P	1,900 lbs	RSDD66015R	1,900 lbs	RSDD66035	1,900 lbs	RSDD66025	1,900 lbs
96"	24"	RSDD66016	1,650 lbs	RSDD66016P	1,650 lbs	RSDD66016R	1,650 lbs	RSDD66036	1,650 lbs	RSDD66026	1,650 lbs
	36"	RSDD66017	1,650 lbs	RSDD66017P	1,650 lbs	RSDD66017R	1,650 lbs	RSDD66037	1,650 lbs	RSDD66027	1,650 lbs
	48"	RSDD66018	1,650 lbs	RSDD66018P	1,650 lbs	RSDD66018R	1,650 lbs	RSDD66038	1,650 lbs	RSDD66028	1,650 lbs

NOTE: In the interest of safety, Republic strongly recommends that racks that are 72" or higher be floor and/or wall anchored. See page 16 for important anchoring information.

Pre-Engineered Record Storage Racks

Store up to 80 record storage boxes per unit with fast, easy access to every level. Assembly couldn't be easier, no tools required.

Basic Rack

- Includes 14-gauge medium-duty beams.
- Uprights, and center supports as required. (See page 22 for information).

Basic Rack with Support Rails

- Includes steel support rails.

Basic Rack with Particle Board Decking

- Includes 5/8" thick particle board.

Record Storage Starter and Add-on Sections

- Starter uprights** are 14-gauge angle posts for use as stand alone sections or at the ends of rows of two or more sections.
- Add-on uprights** are 14-gauge T-posts for use as intermediate posts in multiple section rows.

COLOR SELECTION

IN STOCK



20
Dove Gray

ALSO AVAILABLE



23
Classic Tan



Basic Rack



Basic Rack With Support Rails and Center Supports*



Basic Rack With Particle Board Decking

W x D x H	No. of Levels	Capacity	Basic Rack		Basic Rack with Support Rails		Basic Rack with Particle Board	
			Starter Part #	Add-On Part #	Starter Part #	Add-On Part #	Starter Part #	Add-On Part #
69" x 16" x 60"	3	30 Boxes	RS73000	RS73000A	RS73000R	RS73000RA	RS73000P	RS73000PA
69" x 32" x 60"	3	60 Boxes	RS73002	RS73002A	RS73002R	RS73002RA	RS73002P	RS73002PA
69" x 16" x 84"	4	40 Boxes	RS73004	RS73004A	RS73004R	RS73004RA	RS73004P	RS73004PA
69" x 32" x 84"	4	80 Boxes	RS73006	RS73006A	RS73006R	7RS3006RA	RS73006P	RS73006PA

*NOTE: Center support rails are recommended on racks over 60" wide. See page 70 for ordering information.

Record storage boxes are sold separately.



Record Storage Boxes

- Oyster white corrugated fiber boxes feature die-cut handle to provide sturdy storage for letter or legal size documents.
 - Space provided for labeling.
 - Shipped flat, 12 per carton.
- Overall: 12"w x 15"d x 10"h.

RS7390

Pre-Engineered 84" High Rivet Racks



Particle board and wire decking sold separately.

Photo for illustrative purposes only.

- Beams drop into slots on uprights to create a sturdy, rigid structure.
- Starter uprights are 14-gauge angle posts for use as stand alone sections or at the ends of two or more sections.
- Add-on uprights are 14-gauge T-posts for use as intermediate posts in multiple section rows.
- Easy assembly.

COLOR SELECTION

IN STOCK



20
Dove Gray

ALSO AVAILABLE



23
Classic Tan

W x D x H	Capacity lbs.	3 Level		4 Level	
		Starter	Add-On	Starter	Add-On
Double-Rivet, Medium-Duty Flanged Beam					
48" x 24" x 84"	1,000	RS73020	RS73020A	RS73040	RS73040A
48" x 36" x 84"	1,000	RS73021	RS73021A	RS73041	RS73041A
48" x 48" x 84"	1,000	RS73022	RS73022A	RS73042	RS73042A
60" x 24" x 84"	800	RS73023	RS73023A	RS73043	RS73043A
60" x 36" x 84"	800	RS73024	RS73024A	RS73044	RS73044A
60" x 48" x 84"	800	RS73025	RS73025A	RS73045	RS73045A
72" x 24" x 84"	800	RS73026	RS73026A	RS73046	RS73046A
72" x 36" x 84"	800	RS73027	RS73027A	RS73047	RS73047A
72" x 48" x 84"	800	RS73028	RS73028A	RS73048	RS73048A
96" x 24" x 84"	650	RS73029	RS73029A	RS73049	RS73049A
96" x 36" x 84"	650	RS73030	RS73030A	RS73050	RS73050A
96" x 48" x 84"	650	RS73031	RS73031A	RS73051	RS73051A
"C" Channel, Heavy-Duty Beam					
96" x 24" x 84"	1,200	RS73035	RS73035A	RS73055	RS73055A
96" x 36" x 84"	1,200	RS73036	RS73036A	RS73056	RS73056A
96" x 48" x 84"	1,200	RS73037	RS73037A	RS73057	RS73057A

* Includes Center support. Decking sold separately.


Accessories

Particle Board Decking

Versatile particle board decking is 5/8" thick and pre-cut to size for use with Republic rivet rack. For general purpose and record storage applications.

Actual Size	Part #
36" x 12"	RS72504
36" x 18"	RS72506
36" x 24"	RS72508
48" x 12"	RS72524
48" x 18"	RS72526
48" x 24"	RS72528
48" x 36"	RS72532
48" x 48"	RS72534
60" x 24"	RS72544
60" x 36"	RS72546
60" x 48"	RS72548
72" x 24"	RS72554
72" x 36"	RS72556
72" x 48"	RS72558
96" x 24"	RS72564
96" x 36"	RS72566
96" x 48"	RS72568
69" x 16"	RS72580
69" x 32"	RS72582

Rivet Rack Wire Decking



Manufactured with 6-gauge wire 2" x 4" mesh. It meets fire code standards and features easy drop in installation, enhanced sprinkler system effectiveness and durable baked on enamel finish. Available in #27 Frost Gray.

W x D	Capacity	Part #
36" w x 12" d	350 lbs.	RS72604
36" w x 18" d	250 lbs.	RS72606
36" w x 24" d	250 lbs.	RS72608
48" w x 12" d	600 lbs.	RS72624
48" w x 18" d	600 lbs.	RS72626
48" w x 24" d	850 lbs.	RS72628
48" w x 36" d	800 lbs.	RS72632
48" w x 48" d	1,600 lbs.	RS72634
60" w x 24" d	800 lbs.	RS72644
60" w x 36" d	750 lbs.	RS72646
60" w x 48" d	500 lbs.	RS72648
72" w x 24" d	800 lbs.	RS72654
72" w x 36" d	750 lbs.	RS72656
72" w x 48" d	500 lbs.	RS72658
69" w x 16" d	850 lbs.	RS72680
69" w x 32" d	1550 lbs.	RS72682

Not recommended for single rivet beam applications.

Wall Tie

RS72110 - Wall Tie 9"L
Fastens back to wall.

Double Row Tie

RS72115 - Double Row Tie 18"L
Ties double rows together.

Hanging Bar for Clothes Hangers

RS72120 - 36"L RS72121 - 42"L

Rivet Rack Tire

RS72130 - Rivet Rack Tire Beam 60". (Not shown.)

Foot Plate

RS72092 - 1-13/16" x 3-15/16".

Anchors units to floor and distributes post load over a greater area

Tie Plates

Lock posts together to join two or more racks side by side.

RS72090 - 2-7/8" x 2-5/8"

Record Storage Box Support Rails

RS72095 - 1-1/2" w x 16" d*

RS72096 - 1-1/2" w x 32" d*

*Can only be used with 72052HR.

Center Supports

Overall: 1-1/2" w x 2-1/2" h Use with beams 60" and wider.

RS72070 - 12"d

RS72071 - 15"d

RS72072 - 16"d

RS72073 - 18"d

RS72074 - 24"d



RS72075 - 30"d

RS72076 - 32"d

RS72077 - 36"d

RS72078 - 42"d

RS72079 - 48"d



HOW TO ORDER CUSTOM UNITS

Each rack will require:

- 4 uprights
- 2 width beams per level
- 2 depth beams per level

Beams 60" and wider also require center supports.

All units utilizing single rivet beams require double rivet beams on both the top and bottom levels.

COLOR SELECTION



STEP 1

Determine the Height of Uprights Needed (qty 4)

Use angle posts for ends of rows and for stand-alone sections.

Use T-Post for intermediate uprights on multiple section rows.

STEP 2

Determine Width of Unit

Choose from:

- Single Rivet Light-Duty Beam
- Double Rivet Medium-Duty Beam
- "C" Channel Heavy-Duty Beam

STEP 3

Determine Depth of Unit

Choose from:

- Single Rivet
- Double Rivet

STEP 4

Select Center Supports

Required for beams 60" and wider.


STEP 5

Select Decking

Choose Particle Board or Wire Decking. See page 22.

STEP 1 14-Gauge Steel Uprights

Height	Angle Post Part #	T-Post Part #
39"	RS72001H	N/A
60"	RS72003H	RS72017H
72"	RS72004H	RS72018H
84"	RS72005H	RS72019H
96"	RS72006H	RS72020H
120"	RS72007H	RS72021H
144"	RS72008H	RS72022H
168"	RS72009H	RS72080H
192"	RS72010H	RS72081H
216"	RS72011H	RS72082H
240"	RS72012H	RS72083H



Angle posts:
1-1/2" x 1-1/2"

T-Posts:
3" x 1-1/2"

STEP 2 & 3 14-Gauge Steel Beams

Single Rivet Light-Duty Beam

3/4"w x 1"h

NOTE: Beam may be used for width or depth dimension, however, double rivet beams must be used at minimum at top and bottom locations for both depth and width directions for stability.

Double Rivet Medium-Duty Beam


3/4"w x 2-5-5/8"h

NOTE: Beam may be used for width or depth dimension. Depth dimension not to exceed 48".

"C" Channel Heavy-Duty Beam

3/4"w x 2-13/16"h

NOTE: Beam is recommended for width dimension only.



Beam Width	Single Rivet Light-Duty Beam		Double Rivet Medium-Duty Beam		"C" Channel Heavy-Duty Beam	
	Part #	Cap.*	Part #	Cap.*	Part #	Cap.*
12"	N/A	N/A	RS72040H	N/A	N/A	N/A
15"	N/A	N/A	N/A	N/A	N/A	N/A
16"	N/A	N/A	RS72042H	N/A	N/A	N/A
18"	RS72028H	350	RS72043H	N/A	N/A	N/A
24"	RS72029H	350	RS72044H	N/A	N/A	N/A
30"	N/A	N/A	N/A	N/A	N/A	N/A
32"	N/A	350	RS72046H	800	N/A	N/A
36"	RS72031H	350	RS72047H	800	N/A	N/A
42"	N/A	N/A	N/A	N/A	N/A	N/A
48"	RS72033H	250	RS72049H	1,000	N/A	N/A
60"	N/A	N/A	RS72050H ⁽¹⁾	800	N/A	N/A
69"	N/A	N/A	RS72051H ⁽¹⁾	800	RS72061H ⁽¹⁾	1,400
72"	N/A	N/A	RS72053H ⁽²⁾	800	N/A	N/A
96"	N/A	N/A	RS72055H ⁽²⁾	650	N/A	N/A

Capacities based on dead weight evenly distributed over the entire surface per pair of beams.

**Capacity in lbs. per shelf. ¹ Requires one center support. ² Requires two center supports.*

STEP 4

Center Supports

Overall: 1-1/2"w x 2-1/2"h. Use with beams 60" and wider.

RS72070 - 12"d
RS72071 - 15"d
RS72072 - 16"d
RS72073 - 18"d
RS72074 - 24"d

RS72075 - 30"d
RS72076 - 32"d
RS72077 - 36"d
RS72078 - 42"d
RS72079 - 48"d





Pallet Rack Starter and Add-On Units

To help take the hassle out of ordering Pallet Rack please select a starter or add-on unit.


Each unit is available as either 96" height or 144" height. 96" height units have two beam levels. 144" height units have three beam levels. Capacities vary based on beam width and largest beam spacing (see page 75). Units are available in 42" or 48" depth.

Level	Height	Depth	Width	Starter	Add-on	Deck Options
2	96"	42"	96"	RSSFB096042096	RSAFB096042096	with F/B Supports
			108"	RSSFB108042096	RSAFB108042096	
			120"	RSSFB120042096	RSAFB120042096	
			144"	RSSFB144042096	RSAFB144042096	Wire Deck
			96"	RSSWD096042096	RSAWD096042096	
			108"	RSSWD108042096	RSAWD108042096	
			120"	RSSWD120042096	RSAWD120042096	
			144"	RSSWD144042096	RSAWD144042096	
		48"	96"	RSSFB096048096	RSAFB096048096	with F/B Supports
			108"	RSSFB108048096	RSAFB108048096	
			120"	RSSFB120048096	RSAFB120048096	
			144"	RSSFB144048096	RSAFB144048096	Wire Deck
			96"	RSSWD096048096	RSAWD096048096	
			108"	RSSWD108048096	RSAWD108048096	
			120"	RSSWD120048096	RSAWD120048096	
			144"	RSSWD144048096	RSAWD144048096	
3	144"	42"	96"	RSSFB096042144	RSAFB096042144	with F/B Supports
			108"	RSSFB108042144	RSAFB108042144	
			120"	RSSFB120042144	RSAFB120042144	
			144"	RSSFB144042144	RSAFB144042144	Wire Deck
			96"	RSSWD096042144	RSAWD096042144	
			108"	RSSWD108042144	RSAWD108042144	
			120"	RSSWD120042144	RSAWD120042144	
			144"	RSSWD144042144	RSAWD144042144	
		48"	96"	RSSFB096048144	RSAFB096048144	with F/B Supports
			108"	RSSFB108048144	RSAFB108048144	
			120"	RSSFB120048144	RSAFB120048144	
			144"	RSSFB144048144	RSAFB144048144	Wire Deck
			96"	RSSWD096048144	RSAWD096048144	
			108"	RSSWD108048144	RSAWD108048144	
			120"	RSSWD120048144	RSAWD120048144	
			144"	RSSWD144048144	RSAWD144048144	

Starters include two uprights, Add-ons include one upright.

Note: For "Big Foot Seismic" – Heavy-Duty Pallet Rack, please contact customer service at 1-800-477-1255

HOW TO ORDER PALLET RACKS



Note: For "Big Foot" – Heavy-Duty Pallet Rack, please contact customer service at 1-800-477-1255

PALLET RACK SAFETY RECOMMENDATIONS

Determine actual load requirements as accurately as possible and adhere to rated capacities shown in tables on the following pages. Additional precautions should be taken in applications where extraordinary rack abuse is anticipated. For example, when narrow aisles are used for high speed or high inventory turnover operations, Republic recommends additional rack reinforcement. Impact supports and aisle guidance devices may be advisable – especially at aisle intersections and other vulnerable locations.

Beam Length

Republic recommends a clearance of 4" between palletized loads – and between loads and uprights. Beams over 120" in length should be tied together with the appropriate front-to-back support to maintain proper spacing at each storage level.

Back-to-back Clearance

Clearance should be sufficient to accommodate minimum pallet overhang and tolerances – where pallet placement may vary. Additional clearances may be required to accommodate building structures or intermediate sprinkler systems (according to local codes).

Installation and Anchoring

To insure minimum stability standards, racks should be level, plumb and properly anchored.

Seismic Zones

Since requirements vary so widely, we advise you to contact Republic for assistance on rack projects in high risk seismic zones.

Republic's teardrop design features a roll form welded upright and is totally interchangeable with all major teardrop-style products on the market today.

Tough, durable, and smooth finish features our baked-on powder epoxy finish which gives an appliance-like finish that is impact and corrosion resistant.

Available in stock:

- #31 Lake Green – Upright Frames/Accessories
- #32 Safety Orange – Beams

Special Orders:

Additional capacities and dimensions are available upon request, contact Customer Service at 1-800-477-1255.

HOW TO ORDER PALLET RACKS

Step 1

Select Upright Frames (see page 26)

Add the following figures:

- Height of pallet loads (including pallet)
- + Height of shelf beam
- + 4" Min. vertical clearance for each pallet load

Sum of above dimensions = rack height

For uppermost load level, location of shelf beam should be 6" less than fork truck's maximum lift height. Top of beams need to be at even increments.

Step 2

Select Beams (see page 27)

Shelf length equals the distance between uprights. It is determined by adding the widths of pallet loads plus a 4" side clearance between upright and pallet and 4" between pallet loads.

Shelf beam capacities are based on a pair of beams supporting an evenly distributed load.

Beams over 120" in length should be tied together with the appropriate front-to-back support (see page 75) to maintain proper spacing at each storage level.

Step 3


Select Decking (see page 27)

Select Decking based on style needed:

- Solid Panel Decking
- Wire Decking

Step 4

Select Accessories (see page 28)



Upright Ordering Information

- Choose uprights to suit your storage requirements:
Medium-Duty - 3" x 2-1/4", 14 gauge
Heavy-Duty - 3" x 3", 13 gauge.
- Two frames are required per bay, and any number may be joined together in continuous row applications.
- Available in # 31 Lake Green.

Uprights conform to the latest standards set by Rack Manufacturers' Institute LRFD Specifications.

Unique Design - Roll formed upright provides greater strength-to-weight ratio. Minimum-sized slots mean more steel per upright. Upright's structures are 100% mig-welded with precision K-brace and heavy-duty cross channel reinforcement for increased strength, rigidity and resistance to abuse.



Easy Adjustment - Tapered keyhole slots on 2" centers, provide quick, easy vertical adjustment of beams. There are no "dead spots" or obstructions in upright posts to impede movement of beam along the entire height.

Interchangeable - Republic pallet rack fits with other traditional teardrop designs. That means you can upgrade damaged, weak, or worn out uprights and beams with our versatile rack. No need to change your whole system.



COLOR SELECTION

IN STOCK



Step 1


Select Upright Frames

1. Compute total frame capacity needed to satisfy your load requirements. *(Weight of heaviest pallet X number of pallets per level) X number of beam levels = total frame capacity*
2. Determine "Largest Beam Spacing". Vertical distance between floor and first beam level or vertical distance between beam spacing; whichever is greater.

3. Refer to the Upright Capacity Chart. Find the "Largest Beam Spacing" number that closest resembles the number determined in Step 2. Move down the table to the desired capacity required. This will identify if the upright is Medium or Heavy-Duty.


4. Using the required depth and height of the upright for the corresponding type identified in Step 3, select the appropriate catalog number from the table.

Upright Capacity Chart



Largest Beam Spacing has a significant impact on the capacity rating of an upright.

96"	20,600 lbs.	RS36M096	RS42M096	RS48M096	.075
120"	20,600 lbs.	RS36M120	RS42M120	RS48M120	.075
144"	20,600 lbs.	RS36M144	RS42M144	RS48M144	.075
192"	25,100 lbs.	—	RS42H192	RS48H192	.075
240"	29,800 lbs.	—	RS42H240	RS48H240	.085



Beam Ordering Information

- Roll-formed beams feature an integrated 1-5/8" step for decking and are totally enclosed for clean applications.
- Heavy-duty rivet-type connectors engage upright wedge slots for increased holding power.
- Beams are easy to install, take down and relocate.
- Available in #32 Safety Orange.

COLOR SELECTION

IN
STOCK




Three-Point Safety Catch — Each beam has 3 rugged studs (4 on heavy-duty) that engage the tapered keyhole slots in the upright with a compression fit. Integral safety lock automatically locks into place when beam is properly seated.

Step 2

Select Beams

- Determine load weights per pair of beams.
(Two 2,500 lb. pallet loads = 5,000 lb. beam capacity).
- Determine length of beam required based on load width and minimum clearances.
(Minimum clearance between pallet and upright is 4", or for two 48" pallets, a total of 12".
Use 108" beam). (See illustration on page 25)
- Refer to desired beam length and move across table to rated capacities.
(For 108" beam and 5,000 lb. load, select beam N108).

Clear Span	Capacity per pair	Beam-Face Height	Part #
96"	5,200 lbs.	4.1"	RSN96
96"	8,330 lbs.	5"	RSS96
108"	6,320 lbs.	4.65"	RSN108
108"	9,940 lbs.	6"	RSS108
120"	6,140 lbs.	5"	RSN120
120"	8,920 lbs.	6"	RSS120
144"	6,790 lbs.	6"	RSN144
144"	9,370 lbs.	6.5"	RSS144



Beams 120" long and greater should be tied together with at least one front-to-back support except when solid decking panels are used.

Beams conform to the standards set by the latest Rack Manufacturers' Institute LRFD Specifications.

Step 3


Select Decking



Solid Decking Panels

Heavy, 14-gauge panels feature three 3" x 1-5/8" x 14-gauge hat channels welded to the underside for maximum strength and durability. Panels drop into place to provide a solid deck surface.

W x D	Capacity	Part #
Solid Decking Panels		
48" x 30"	11,865 lbs.	RSDP4830
60" x 30"	11,865 lbs.	RSDP6030
48" x 36"	8,247 lbs.	RSDP4836
60" x 36"	8,247 lbs.	RSDP6036
48" x 42"	6,057 lbs.	RSDP4842
60" x 42"	6,057 lbs.	RSDP6042
48" x 48"	5,198 lbs.	RSDP4848
60" x 48"	5,198 lbs.	RSDP6048



Wire Decking

Heavy-duty waterfall decking features a 2-1/2" x 4" 6-gauge wire mesh with 14-gauge steel channels for safe, durable storage and ease of installation. Meets all fire and safety regulations. Available in #27 Frost Gray.


W x D	# Channels	Capacity	Part #
Wire Decking			
46" x 36"	3	2,750 lbs.	RSWD4636H
52" x 36"	3	2,500 lbs.	RSWD5236H
58" x 36"	3	2,500 lbs.	RSWD5836H
46" x 42"	4	3,500 lbs.	RSWD4642H
46" x 42"	3	2,000 lbs.	RSWD4642L
52" x 42"	4	3,500 lbs.	RSWD5242H
52" x 42"	3	2,500 lbs.	RSWD5242L
58" x 42"	3	3,000 lbs.	RSWD5842L
46" x 48"	4	3,000 lbs.	RSWD4648H
46" x 48"	3	2,500 lbs.	RSWD4648L
52" x 48"	3	2,800 lbs.	RSWD5248L
58" x 48"	3	3,000 lbs.	RSWD5848L

Wire decking sizes necessary to fit Republic pallet rack

Beam Width	Wire Decking Sizes
90"	(2) 44"W
96"	(2) 46"W
102"	(1) 46"W and (1) 52"W
108"	(2) 52"W
120"	(2) 58"W
144"	(3) 46"W

Step 4

Select Accessories



(A) Front-to-Back Support

Reduces the likelihood of inaccurately placed pallets falling through.

(B) Plywood Support Channel

To support plywood or other decking material, or as front-to-back member between beams.

(C) Skid Support


Provides secure, easily adjustable base for skid runners.

(D) Fork Entry Bar

Solid base and proper fork clearance for non-palletized loads.

(E) Drum Cradle

For safe storage of cylindrical items. Welded unit fits securely on beams.



Solid Decking
(see page 27)

Wire Decking
(see page 27)

Dimension	Capacity	Part #
Front-to-Back Support		
36" Deep	1,840 lbs.	RSFBSUP36
42" Deep	1,540 lbs.	RSFBSUP42
48" Deep	1,320 lbs.	RSFBSUP48
Plywood Support Channel		
36" Deep	730 lbs.	RSPWSUP36
42" Deep	610 lbs.	RSPWSUP42
48" Deep	530 lbs.	RSPWSUP48
Skid Support		
36" Deep	650 lbs.	RSSKSUP36
42" Deep	550 lbs.	RSSKSUP42
48" Deep	475 lbs.	RSSKSUP48
Fork Entry Bar		
36" Deep	7000 lbs.	RSFEBAR36
42" Deep	6000 lbs.	RSFEBAR42
36" Deep	5000 lbs.	RSFEBAR48
Drum Cradle		
36" Deep	2170 lbs.	RSDRCD36
42" Deep	1860 lbs.	RSDRCD42

(F) Impact Support

Provides extra protection against abuse. Bolt on to floor only. Finish is #33 Safety Yellow.

RSIMSUP12 - 12" high
RSIMSUP24 - 24" high
RSIMSUP36 - 36" high
RSIMSUP48 - 48" high



Upright Anchor

Optional wedge-type anchor can be used to secure column posts. 1/2" dia. x 3-3/4" long.
RS25163



(G) Shim Plate

Nests under footplate. Unpainted.
RSFLSH34



(H), (I) Row Spacers & Wall Ties

Row spacer provides a stabilizing connection for back-to-back rows of racks; wall ties provide stability and consistent spacing from the wall. Galvanized construction resists rust and corrosion. Two spacers recommended for each pair of uprights. Bolts included.

Dimension	Part #
Row Spacer	
4"	RSRSPC04
6"	RSRSPC06
8"	RSRSPC08
10"	RSRSPC10
12"	RSRSPC12
18"	RSRSPC18
Wall Tie	
4"	RSWSPC04
6"	RSWSPC06
8"	RSWSPC08
10"	RSWSPC10
12"	RSWSPC12
18"	RSWSPC18

NOTE: Load-carrying capacities for individual accessories listed are based on evenly distributed loads and are limited by the support capacity of the beams and/or upright assemblies. When skid supports, fork-entry bars and/or front-to-back supports are used to support the load, the weight is not evenly distributed to the beam and, therefore, beam capacities are reduced significantly.


Bar Pipe and Rod Rack

Store long items with maximum efficiency. Great for steel, iron, aluminum, wood, plastic tubes and other materials that are awkward to store on shelving or conventional racking.



- All models feature heavy-duty arms with 450 lb. capacity that can be adjusted every 1-1/2", with spacing as close as 7-1/2".
- **Single-Face Rack** - 3,000 lb. max capacity.
- **Double-Face Rack** - 6,000 lb. max capacity.

COLOR SELECTION

IN STOCK




ALSO AVAILABLE



Join multiple racks to create storage for any length item.



Starter



Add-On


Single-Face Rack

Designed for use against walls with arms and base on one side of uprights. Brace panels and cross braces included. Overall size: 36"w x 21-7/8"d x 79-1/4"h.


RS3700S - Starter

RS3700 - Add-On

RS3701 - Knocked Down Rack End
(converts Add-on into Starter)



Starter



Add-On

Double-Face Rack

Designed for free-standing use with arms and base on both sides of uprights. Brace panels and cross braces included. Overall size: 36"w x 33-3/4"d x 79-1/4"h.

RS3710S - Starter

RS3710 - Add-On


RS3711 - Knocked Down Rack End
(converts Add-on into Starter)

Accessories and Related Products

Steel Shelves

Flanged back and notched corners fit all racks above. Makes Bar, Pipe and Rod Rack more versatile. 300 lb. capacity.

RS3720 - 36"w x 12"d




Extra Arms and Separator Pegs

All arms are slotted for Separator Pegs (order separately). Pegs are great for segmenting arms.

RS3725 - Extra arm, 12" long

RS3730 - Separator Peg, 4" high




Store bulky, irregular, long and odd-shaped items at low cost. Achieve maximum utilization of warehouse cube without front posts or columns to restrict horizontal space. Handle hard-to-store items, including appliances, building materials, fabrics, flooring, furniture, steel, pipe and other items, with ease. Wide, open rows allow proper load support and easy access.

- Units are 72" wide from center post to center post.
- Choose single or double faced units in regular or heavy-duty strengths.
- Arms are adjustable on 4" centers, and are available in 24", 36" and 48" lengths. Arm Slope = 4°.
- Upright Frames, Brace Set Kits and accessories available in Green. Arms available in #32 Safety Orange.

Single Face Racks

Per Arm Capacity	Upright Capacity	Starter Part #	Add-On Part #
Regular-Duty (8' High, 24" Arms)			
3,360 lbs.	17,548 lbs.	RSCSRSF09624S	RSCSRSF09624
Regular-Duty (10' High, 36" Arms)			
2,240 lbs.	13,800 lbs.	RSCSRSF12036S	RSCSRSF12036
Regular-Duty (12' High, 48" Arms)			
1,680 lbs.	11,371 lbs.	RSCSRSF14448S	RSCSRSF14448


Note: 8' high units are supplied with 4 arms, 10' and 12' high units are supplied with 5 arms per upright.



Double Face Racks

Per Arm Capacity	Upright Capacity	Starter Part #	Add-On Part #
Regular-Duty (8' High, 24" Arms)			
3,360 lbs.	17,548 lbs.	RSCSRDF09624S	RSCSRDF09624
Regular-Duty (10' High, 36" Arms)			
2,240 lbs.	13,800 lbs.	RSCSRDF12036S	RSCSRDF12036
Regular-Duty (12' High, 48" Arms)			
1,680 lbs.	11,371 lbs.	RSCSRDF14448S	RSCSRDF14448

Note: 8' high units are supplied with 4 arms, 10' and 12' high units are supplied with 5 arms per upright. Upright capacities are per side. Double stated capacity is for Double Face Racks.



CANTILEVER RACK UPRIGHTS AND BRACE SETS



Part #	Height	Description	Duty	Capacity	Color
Columns					
RSLSC0818C096	96"	Column - 11371#	Regular	11371	Green Sr-121
RSLSC0818C120	120"	Column - 11371#	Regular	11371	Green Sr-121
RSLSC0818C144	144"	Column - 11371#	Regular	11371	Green Sr-121
Wedge Anchor					
RLSHRAWL7433	N/A	5/8" x 5"	Regular	N/A	Plain
Regular Duty Arms					
RSLSC357A024	3"	24" - 3360#	Regular	3360	Orange Sr-132
RSLSC357A036	3"	36" - 2240#	Regular	2240	Orange Sr-132
RSLSC357A048	3"	48" - 1680#	Regular	1680	Orange Sr-132
Heavy Duty Arms					
RSLSC477A036	4"	36" - 4053#	Heavy	4053	Orange Sr-132
RSLSC477A048	4"	48" - 3040#	Heavy	3040	Orange Sr-132
Part Number	Length	Description	Duty	Capacity	Color
Brace Panels					
RSLSCCBPW048	48"	Brace Panel	Regular	N/A	Green Sr-121
RSLSCCBPW060	60"	Brace Panel	Regular	N/A	Green Sr-121
RSLSCCBPW072	72"	Brace Panel	Regular	N/A	Green Sr-121
Horizontal Braces					
RSLSCCHBW048	48"	Horizontal Brace	Regular	N/A	Green Sr-121
RSLSCCHBW060	60"	Horizontal Brace	Regular	N/A	Green Sr-121
RSLSCCHBW072	72"	Horizontal Brace	Regular	N/A	Green Sr-121
Part Number	Depth	Description	Duty	Capacity	Color
Bases					
RSLSC0818B024	24"	Base	Regular	N/A	Green Sr-121
RSLSC0818B036	36"	Base	Regular	N/A	Green Sr-121
RSLSC0818B048	48"	Base	Regular	N/A	Green Sr-121


•Based on 48" Arms. Shorter Arms are higher capacity.

*Structural cantilever is made from wide flange steel for columns, bases and arms and all are fastened through a high strength connection.


Brace Set Kits

Brace Kits determine the width of the unit. Tie upright assemblies together for added strength. 96" and 120" tall units require one brace panel. 144" tall units require one brace panel and a horizontal brace. Taller units will require additional bracing and (or) panels.

Upright Frames, Brace Set Kits and accessories available in Green. Arms available in #32 Safety Orange.



*NOTE: Base load not included to determine upright capacity.




Nominal Depth	A	B	Single Sided C	Double Sided D
Regular				
24"	24"	8.125"	32.125"	56.125"
36"	36"	8.125"	44.125"	80.125"
48"	48"	8.125"	56.125"	104.125"
Heavy-Duty				
24"	24"	8.125"	32.125"	56.125"
36"	36"	8.125"	44.125"	80.125"
48"	48"	8.125"	56.125"	104.125"








How to Order - Rack Arm

Divide the total weight by the number of arms required. Example: with a load weight of 6,000 lbs. on 3 arms, each arm needs a capacity of at least 2,000 lbs. (6,000 divided by 3).



Stacking Height and Vertical Arm Spacing

1. Height to ceiling: Measure distance from floor to ceiling and subtract 10" clearance (subtract 18" clearance where ceiling sprinklers are present). Consult building codes in your area for exact clearance required.
2. Allow for equipment capabilities: When usable floor-to-ceiling space exceeds equipment lift heights, determine maximum equipment lift height and subtract 6" margin. Add the height of top level load for revised stacking weight.
3. Number of load levels: For loads of consistent size, determine height of one load plus 10" for arm clearance. Divide that stacking height by dimension above to determine number of possible load levels.



Horizontal Arm Spacing

When figuring the length of a load, allow for clearance between loads; 8 to 10 inches is a good rule of thumb for long loads. Check rack arm spacing with fork arm spacing on handling equipment for safe working clearances.

1. Arm spacing is determined by degree of load deflection between arms, which is dependent on rigidity of load. For safe loads with two-arm support, distance between arms should be $\frac{1}{2}$ the load length. Three-arm support should be $\frac{1}{3}$ the load length.
2. You can perform on-site tests by setting required load on two 2x4's on floor at maximum arm spacing (96") and reduce spacing in 24" increments to arrive at an acceptable sag tolerance. If necessary, add more 2x4's to accomplish this. Loose loads have a tendency to sag more than bundled loads.


Slotted Angle

With Republic Slotted Angle, you can build an infinite number of custom structures!

Solve unique storage problems with the convenience and strength of Republic slotted angle. It's easy to build what you need – when and where you need it:

- Non-standard sizes of storage racks.
- Protective framing around machinery.
- Platforms around assembly projects.
- Support framing for displays.
- Unique configurations in hospitals, museums, retail outlets, lumberyards, schools – the list is virtually endless.
- Made from rugged, cold-rolled steel with heavy, non-flaking galvanized finish. All are clearly stamped on 3" centers for quick, simple measuring and cutting.
- Oval horizontal and vertical holes allow precise adjustment of angles.


Available in all steel components and Galvanized Silver.



Accessories

Gussets

Bolt to upright and cross member to assure complete rigidity. 14-gauge cold-rolled steel with heavy-galvanized finish.



RS6572 – 6" x 6" Gusset – 12 pack.

Casters

Hard composition wheels are 3 1/2" in diameter with 15/16" tread. Slotted holes in steel plate for use on both size angles.



RS6586 – Stationary Caster – 2 pack.

RS6587 – Ball-Bearing Swivel Caster – 2 pack.

Extra Nuts and Bolts

Hex head self locking 5/16" diameter nuts and 3/4" long bolts.



RS6578 – 100 pack



W x D x H	Qty. Per Package	Part #
14-Gauge Light-Duty		
1-1/2" x 1-1/2" x 10'	10	RS6530
1-1/2" x 1-1/2" x 10'	120 in 12 pkgs	RS6530-12
1-1/2" x 1-1/2" x 12'	10	RS6532
1-1/2" x 1-1/2" x 12'	120 in 12 pkgs	RS6532-12
14-Gauge Medium Duty		
2-1/4" x 1-1/2" x 8'	10	RS6508
2-1/4" x 1-1/2" x 8'	120 in 12 pkgs	RS6508-12
2-1/4" x 1-1/2" x 10'	10	RS6510
2-1/4" x 1-1/2" x 10'	120 in 12 pkgs	RS6510-12
2-1/4" x 1-1/2" x 12'	10	RS6512
2-1/4" x 1-1/2" x 12'	120 in 12 pkgs	RS6512-12
12-Gauge Heavy-Duty		
3" x 1-1/2" x 10'	10	RS6520
3" x 1-1/2" x 10'	120 in 12 pkgs	RS6520-12
3" x 1-1/2" x 12'	10	RS6522
3" x 1-1/2" x 12'	120 in 12 pkgs	RS6522-12




Choose From 1-1/2", 2-1/4" and 3" For Light, Medium and Heavy-Duty Applications



All-Welded Shelf Cabinets

- All-welded 14-gauge steel construction provides a payload capacity of **1,450 lbs. per shelf**.
- Heavy-duty steel doors have a padlock hasp (lock not included) and heavy-duty 5/16" brass-pin hinge plates securely welded to each door.
- Shelves bolt securely into welded keyhole slots and can be repositioned on 3" centers.
- Secure, 3-point locking system on doors features 3/8" latch rod and 3/16" latch plate.
- 4" high legs welded to cabinet — forklift base allows for easy movement anywhere in your facility.
- Additional shelves can be added for increased versatility.
- Ships assembled.
- Available with Diamond Perf Doors.




COLOR SELECTION

IN STOCK




20
Dove Gray

ALSO AVAILABLE



45
Wedgewood Blue



94
Jet Black



23
Classic Tan

Standard Features



Heavy-duty 14-gauge flanged shelves, adjustable on 3" centers



Rugged cast iron handles with 3/8" thick padlock hasp



Three heavy-duty 5/16" diameter steel pin hinges securely welded to each cabinet door



RS1114



RS1120



RS1145

W x D x H	No. of Shelves	Shelf Capacity	Standard Doors Part #	Diamond Perf Doors Part #	Extra Shelf
36" x 21" x 82"	4	1,450 lbs.	RS1114	RS1114DP	RS11161
36" x 24" x 82"	4	1,450 lbs.	RS1115	RS1115DP	RS11191
48" x 24" x 82"	4	1,450 lbs.	RS1120	RS1120DP	RS1161
60" x 24" x 82"	4	1,450 lbs.	RS1145	RS1145DP	RS1146

Cabinet height includes 4" h legs



RS1121

All-Welded Combination Cabinets

Combines garment with package and supply item storage in one convenient unit.

- Includes fixed, full-width top shelf.
- Three half-shelves adjustable on 3" centers.
- Includes coat rod to accommodate garments on hangers.
- Ships assembled.

W x D x H	No. of Shelves	Shelf Capacity	Part #	Extra Half Shelf
36" x 24" x 82"	1 full / 4 half	1,450 lbs.	RS1121	RS1162
48" x 24" x 82"	1 full / 4 half	1,450 lbs.	RS1148	RS1165
60" x 24" x 82"	1 full / 4 half	1,450 lbs.	RS1149	RS1166

Cabinet height includes 4"h legs

COLOR SELECTION

IN STOCK




20
Dove Gray

ALSO AVAILABLE



45
Wedgewood Blue



94
Jet Black



23
Classic Tan



RS1112



RS1110

All-Welded Counter High and Eye-Level Shelf Cabinets

- All the same specifications of the All-Welded Shelf Cabinets (facing page) with a shorter height.
- Ships assembled.

W x D x H	No. of Shelves	Shelf Capacity	Part #	Extra Shelf
36" x 21" x 64"	3	1,450 lbs.	RS1112	RS11161
36" x 24" x 64"	3	1,450 lbs.	RS1113	RS11191
36" x 21" x 46"	2	1,450 lbs.	RS1110	RS11161
48" x 24" x 64"	3	1,450 lbs.	RS1147	RS1161

Cabinet height includes 4"h legs


COLOR SELECTION

IN STOCK



20
Dove Gray

ALSO AVAILABLE



45
Wedgewood Blue



94
Jet Black



23
Classic Tan


All-Welded Clearview and 4-Door Shelf Cabinets

Quickly evaluate supply inventory without even opening the doors.


- All-welded, 14-gauge construction.
- Clearview cabinets feature heavy-duty 3/16" thick Lexan® door inserts.
- 14-gauge flanged shelves are adjustable on 3" centers.
- Rugged cast iron handle features a 3/8" thick padlock hasp.
- Three heavy-duty 5/16" brass pin hinge plates welded to each door.
- Additional shelves are available for customized configurations.
- 4" high welded on legs.
- Forklift base allows for easy movement anywhere in your facility.
- Ships assembled.

COLOR SELECTION

IN STOCK



ALSO AVAILABLE



Clearview Cabinet

- Includes four full-width shelves
- Overall Size: 48"w x 24"d x 82"h

RS1120V

Extra 48"w Shelf for RS1120V

RS1161



Safety Center

- Includes four full-width shelves
- #97 Sunshine Yellow finish only
- Overall Size: 48"w x 24"d x 82"h

RS1120SC

Extra 48"w Shelf for 1120SC

RS1161



Clearview Shelf/Bin Cabinet

- Includes three full-width shelves.
- 16 large (8 1/4"w x 14 3/4"d x 7"h) plastic parts bins.
- Overall Size: 36"w x 21"d x 82"h.

RS1123V

Extra 36"w Shelf for RS1123V

RS11161



Clearview Multi-Door Cabinet

- Create secure storage for 4 people in a single cabinet.
- Includes one full-width shelf per compartment.
- Overall Size: 48"w x 24"d x 82"h.

RS11204DV



Multi-Door Cabinet

- Create secure storage for 4 people in a single cabinet.
- Includes one full-width shelf per compartment.
- Overall Size: 48"w x 24"d x 82"h.

RS11204D

All-Welded Mobile Shelf Cabinet

Extra wide and 24" deep, also functions as a storage closet on the shop floor, offering:

- All-welded 14-gauge construction.
- Load capacity of 1,450 lbs. per shelf.
- Wide, double doors for easy access.
- Full-width shelves are adjustable on 3" centers.
- 6" polyolefin casters - 2 swivel with brakes; 2 rigid without brakes. 700 lb. capacity each, 2800 lb. total.
- Overall Size: 60"w x 24"d x 67-1/2"h.
- Ships assembled. Casters pre-assembled, handle ships loose.

RS1170



Extra Shelf for RS1170 - **RS1146**

COLOR SELECTION

IN STOCK



ALSO AVAILABLE



RSDD900



RSDD901

Optional black Duraflex vinyl matting **RS910**



Front View



Back View

All-Welded Mobile Work Centers

- Ball bearing drawer slides — capacity of 100 lbs. each.
- Internal shelf is adjustable on 3" centers — capacity of 1,450 lbs.
- Heavy-duty 10-gauge steel top includes back and end stops; accommodates vise installation when drilled and bolted.
(Vise not included.)
- Smooth-rolling, 8" diameter, 2" wide roller bearing Phenolic casters (2 fixed, 2 swivel-braking) provide a total load capacity of 3600 lbs.
- Steel doors feature a padlock hasp, a spring-actuated pull handle that holds the doors in the closed position, and two (2) heavy-duty 5/16" brass pin hinge plates welded to each door.
- Cabinet, Dove Gray; Drawers, Red Baron.
- Ships assembled. Casters pre-assembled, handle ships loose.

RSDD900 - with Drawers

RSDD901 - without Drawers

Description	Width	Depth	Height
Overall	48"	26"	36"
5 Drawers	22-7/8"	17-3/4"	2-7/8"
1 Drawer	22-7/8"	17-3/4"	6"
Inside Top Shelf	17-3/4"	18-1/2"	11"
Inside Lower Shelf	17-3/4"	18-1/2"	10"
Rear Top Shelf	47-3/4"	5-1/4"	11-3/4"
Rear Lower Shelf	47-3/4"	5-1/4"	12-1/8"

COLOR SELECTION

IN STOCK



ALSO AVAILABLE



All-Welded Cabinets with Removable Bins



- All-welded 14-gauge steel construction delivers secure storage behind heavy-gauge steel doors.
- Evenly distributed load capacity: 1,450 lbs. per shelf.
- 3-point locking system featuring 3/8" latch rods and 3/16" latch plates.
- Additional shelves can be added for increased versatility.
- 4" high welded on legs.
- Forklift base allows for easy movement anywhere in your facility.
- Ships assembled. Plastic bins ship loose in boxes within cabinet.

COLOR SELECTION

IN STOCK



ALSO AVAILABLE



FEATURES

Removable plastic parts bins increase storage density, speed selection and retrieval. Corrosion resistant, and impervious to most solvents, Safety Yellow plastic bins easily clip on and off racks welded to cabinets and doors.



Shelf/Bin Cabinet

- Includes 3 full-width shelves adjustable on 3" centers.
- 16 large (8-1/4"w x 14-3/4"d x 7"h) plastic bins inside cabinet.
- Overall Size: 36"w x 21"d x 82"h.

RS1123



Bin Storage Cabinet

- Includes 100 small (4-1/8"w x 5-3/8"d x 3"h) plastic bins on doors.
- 36 large (8-1/4"w x 14-3/4"d x 7"h) plastic bins inside cabinet.
- Overall Size: 36"w x 21"d x 82"h.

RS1124



Combination/Bin Cabinet

- Includes one full-width shelf.
- 3 half-shelves adjustable on 3" centers with 50 small (4-1/8"w x 5-3/8"d x 3"h) plastic bins on door.
- 14 large (8-1/4"w x 14-3/4"d x 7"h) plastic bins inside cabinet.
- Overall Size: 36"w x 21"d x 82"h.

RS1122

Accessories and Related Products



RS78222

Extra Plastic Bins for Bin Cabinets

RS78228 – Large, 8-1/4"w x 14-3/4"d x 7"h (60 lb. capacity)

RS78222 – Small, 4-1/8"w x 5-3/8"d x 3"h (10 lb. capacity)

Extra Dividers

RS78229 – Divider for RS78228

RS78223 – Divider for RS78222

**Plastic Bins and Dividers are imported.*

Extra Shelves

RS11161 – Extra Shelf, 36"w x 18-9/16"d

RS11163 – Extra Half Shelf, 14"w x 18-9/16"d

All-Welded Cabinet with Removable Bins



Bin Storage Cabinet

- Includes 136 small (4-1/8"w x 5-3/8"d x 3"h) plastic bins on doors.
- 45 large (8-1/4"w x 14-3/4"d x 7"h) plastic bins inside cabinet.
- Overall Size: 48"w x 21"d x 82"h.

RS1136



Bin Storage Cabinet

- Includes 170 small (4-1/8"w x 5-3/8"d x 3"h) plastic bins on doors.
- 54 large (8-1/4"w x 14-3/4"d x 7"h) plastic bins inside cabinet.
- Overall Size: 60"w x 21"d x 82"h.

RS1141



Shelf/Bin Cabinet

- Includes 4 full-width shelves adjustable on 3" centers.
- 81 small (4-1/8"w x 5-3/8"d x 3"h) plastic bins on doors.
- Overall Size: 36"w x 21"d x 82"h.

RS1155



Shelf/Bin Cabinet

- Includes 3 full-width shelves, adjustable on 3" centers.
- 86 small (4-1/8"w x 5-3/8"d x 3"h) plastic bins on doors.
- 16 large (8-1/4"w x 14-3/4"d x 7"h) plastic bins inside cabinet.
- Overall Size: 36"w x 21"d x 82"h.

RS1156

All-Welded Deep-Door Cabinets With Removable Tilt-Bins

- All-welded 14-gauge steel construction delivers secure storage behind heavy-gauge steel doors.
- Interior depth of cabinet is 21". Doors are 5-5/8" deep.
- Evenly distributed load capacity: 1,450 lbs. per shelf.
- 3-point locking system featuring 3/8" latch rods and 3/16" latch plates.
- Additional shelves can be added for increased versatility.
- 4" high welded on legs.
- Forklift base allows for easy movement anywhere in your facility.
- Plastic Parts Bins and Dividers are imported.

COLOR SELECTION

IN
STOCK



ALSO
AVAILABLE



FEATURES

Hard composition casters mounted underneath swing out doors maintain positive alignment and provide smooth door opening and closing under heavy loads. Casters and legs provide clearance for forklift access.



Choose from our exclusive, Easy Access Tilt-Bins or Standard Bins.



Tilt-Bins



Standard Bins



Four-Shelf, 24 Bin Cabinet

- 4 full-width shelves adjustable on 3" centers.
- 12 removable tilt-bins in each door.
- Overall Size: 39"w x 27"d x 76"h.

RS1125



Two-Shelf, 40 Bin Cabinet

- 2 full-width shelves adjustable on 3" centers.
- 16 large removable plastic bins (8-1/4"w x 14-3/4"d x 7"h) in cabinet.
- 12 removable tilt-bins in each door.
- Overall Size: 39"w x 27"d x 76"h.

RS1126

All-Welded Deep-Door Cabinets With Removable Tilt-Bins



SHIPPED ASSEMBLED

Cabinets ship with shelves bolted in and doors casters pre-assembled, ready-to-use as shown. Tilt-bins pre-assembled. Large plastic bins shipped loose in boxes within cabinet.

Accessories and Related Products

Parts Bins and Dividers

Tilt-Bins swing forward to allow 100% access to contents, and tilt back for storage.

Tilt-Bins add more storage density for small parts.



RS3427BWYB

RS78228 – Large Parts Bins, 8-1/4" w x 14-3/4" d x 7" h (60 lb. capacity)

RS78229 – Large Parts Bin Dividers

RS3427BWYB – Tilt-Bins, 15" w x 5" d x 5 1/2" h (40 lb. capacity)

RS3445BWYB-18 – Tilt-Bin Dividers

Extra Shelves

RS1160 – Extra Shelf, 38" w x 18-9/16" d

RS1164 – Extra Half Shelf, 16" w x 18-9/16" d – only fits RS1128



Four-Shelf, 36 Bin Cabinet

- 1 full-width shelf, 3 half-shelves adjustable on 3" centers.
- 12 large removable plastic bins.
- 12 removable tilt-bins in each door.
- Overall Size, 39" w x 27" d x 76" h.

RS1128



Four-Shelf, 12 Bin Cabinet

- 4 full-width shelves adjustable on 3" centers.
- 6 removable tilt-bins.
- 3 adjustable on 5-1/2" centers.
- Shelves in each door. (75 lb. capacity.) [Drawer case unit not included].
- Overall Size, 39" w x 27" d x 76" h.

RS1127

All-Welded Maintenance Centers with Modular Drawers


Payload Capacity: 400 lbs. per drawer

Safely store tools, equipment, maintenance, repair parts, and even personal effects. There is a slide-out work surface for light maintenance and repair work.


- All-welded 14-gauge steel construction.
- 400 lb. drawer capacity.
- Forklift accessible base.
- Ball-bearing drawer suspension.
- Hinged lock bar on modular drawers.
- *Interior drawer dimensions, all drawers are 25-1/8" d.

COLOR SELECTION

IN STOCK



ALSO AVAILABLE



Additional sizes not shown here.

FEATURES


Heavy-duty 14-gauge flanged shelves, adjustable on 3" centers.



Rugged cast iron handles with 3/8" thick padlock hasp.



Hard composition casters mounted underneath swing out doors maintain positive alignment and provide smooth door opening and closing under heavy loads. Casters and legs provide clearance for forklift access.



39" Wide Cabinet with Modular Drawers

- One modular drawer 31-1/2"w x 2-1/4"h* with latch-in/latch-out & flip-up drawer cover kit that provides a work surface for light-duty maintenance work.
- 1 modular drawer, 31-1/2"w x 3"h*.
- 2 modular drawers, 31-1/2"w x 4-5/8"h*.
- 2 adjustable shelves, 39"w.
- 8 tilt bins (15"w x 5"d x 5-1/2"h) per door.
- 2 shelves per door.
- Overall Size: 39"w x 36-1/2"d x 76"h.

RS1104F

All-Welded Maintenance Centers with Modular Drawers

60" Wide Cabinet with Modular Drawers

- 1 modular drawer, 39-1/2"w x 2-1/4"h*.
- 1 modular drawer, 39-1/2"w x 3"h*.
- 2 modular drawers, 39-1/2"w x 9-3/8"h*.
- 400 lb. capacity roll out shelf.
- 18 tilt bins (15"w x 5"d x 5-1/2"h).
- 5 adjustable shelves in right-hand door.
- 1 shelf/coat rod (14"w x 21-1/2"d).
- Overall Size: 60"w x 36-1/2"d x 60"h.

RS1101F



60" Wide Cabinet with Modular Drawers

- 1 modular drawer, 39-1/2"w x 2-1/4"h*.
- 1 modular drawer, 39-1/2"w x 3"h*.
- 2 modular drawers, 39-1/2"w x 9-3/8"h*.
- 400 lb. capacity roll out shelf.
- 18 tilt-bins (15"w x 5"d x 5-1/2"h).
- 52 small plastic bins (4-1/8"w x 5-3/8"d x 3"h).
- 1 shelf/coat rod (14"w x 21-1/2"d).
- Overall Size: 60"w x 36-1/2"d x 60"h.

RS1102F



60" Wide Cabinet with Modular Drawers

- One modular drawer 31-1/2"w x 2-1/4"h* with latch-in/latch-out & flip-up drawer cover kit that provides a work surface for light-duty maintenance work.
- 1 modular drawer, 31-1/2"w x 3"h*.
- 2 modular drawers, 31-1/2"w x 4-5/8"h*.
- 2 modular drawers, 31-1/2"w x 9-3/8"h*.
- 3 adjustable shelves, 21-1/4"w x 21-1/2"d.
- 18 tilt-bins (15"w x 5"d x 5-1/2"h) in left-hand door.
- 5 adjustable shelves in right-hand door.
- Overall Size: 60"w x 36-1/2"d x 60"h.

RS1103F



1000 Series Storage Cabinets

- Contemporary styling with rounded front corners.
- Three-point door locking system.
- Polished chrome plated handles.
- Separate grooved key lock with 2 keys.
- Pan type reinforcements maintain door alignment.
- "Quiet Door" feature reduces noise when opening and closing doors.
- Durable heavy-gauge steel construction.
- Shelf adjustments on 2" centers.

COLOR SELECTION

IN STOCK



20
Dove Gray




23
Classic Tan

ALSO AVAILABLE



45
Wedgewood Blue



94
Jet Black

Features

Back corners are slotted and front corners are supported with clips for easy adjustment



Counter High Cabinets

- Provides 24 cu. ft. of storage space.



RS1042



RS1035

W x D x H	No. of Shelves	Shelf Capacity	Set Up Part #	K.D. Part #	Extra Shelf	Reinforced Shelf
36" x 18" x 42"	2	180 lbs.	RS1042	RS1043	RS10551	RS10711
36" x 21" x 42"	2	180 lbs.	RS1040	RS1041	RS10501	RS10701
36" x 24" x 42"	2	180 lbs.	RS1045	RS1046	RS10601	RS10721
48" x 24" x 42"	2	325 lbs.	RS1035SU	RS1035	RS10581	N/A

Standard Cabinets

- A virtual storeroom of space — holds up to 2,000 total lbs.
- Double doors permit full access to all areas of cabinet



RS1080



RS1031

W x D x H	No. of Shelves	Shelf Capacity	Set Up Part #	K.D. Part #	Extra Shelf	Reinforced Shelf
36" x 18" x 78"	4	180 lbs.	RS1080	RS1081	RS10551	RS10711
36" x 21" x 78"	4	180 lbs.	RS1000	RS1001	RS10501	RS10701
36" x 24" x 78"	4	180 lbs.	RS1090	RS1091	RS10601	RS10721
48" x 24" x 78"	4	325 lbs.	RS1031SU	RS1031	RS10581	N/A



"Set Up" means product ships fully assembled
"K.D." means knocked down, ships flat and assembly is needed

Combination Wardrobe Cabinets


- 4 side-shelves with 2" adjustability and 5 compartments maximize storage space.
- Full-width shelf at top.
- Coat rod below shelf.
- Smooth, snag-free finished interior.




W x D x H	No. of Shelves	Set Up Part #	K.D. Part #	Extra Half Shelf
36" x 18" x 78"	1 full / 4 half	RS1088	RS1089	RS10571
36" x 21" x 78"	1 full / 4 half	RS1010	RS1011	RS10521
36" x 24" x 78"	1 full / 4 half	RS1098	RS1099	RS10621
48" x 24" x 78"	1 full / 4 half	RS1033SU	RS1033	RS10631

COLOR SELECTION

IN STOCK



ALSO AVAILABLE



Wardrobe Cabinets

- Full-width shelf at top.
- Coat rod below shelf.
- Smooth, snag-free finished interior.



W x D x H	No. of Shelves	Set Up Part #	K.D. Part #	Extra Shelf	Extra Shelf with Coat rod
36" x 18" x 78"	1	RS1085	RS1086	RS10551	RS1056
36" x 21" x 78"	1	RS1005	RS1006	RS10501	RS1051
36" x 24" x 78"	1	RS1095	RS1096	RS10601	RS1061
48" x 24" x 78"	1	RS1032SU	RS1032	RS10581	RS1059



1000 Series Visible Storage Cabinets

- Plexiglas® windows on both doors provides visual inventory without opening them.
- Three-point door locking system provides outstanding security with key lock.
- Shelf reinforcements increase shelf capacity to 230 lbs.
- Four shelves adjustable on 2" centers. (Additional shelves available - contact customer service).

COLOR SELECTION

IN
STOCK



Set Up with Four Shelves

RS1080V - 36" x 18" x 78"

RS1090V - 36" x 24" x 78"

Knocked Down with Four Shelves

RS1081V - 36" x 18" x 78"

RS1091V - 36" x 24" x 78"

Extra Shelf

RS10551 - 18"

RS10601 - 24"

Reinforced Shelf

RS10711 - 18"

RS10721 - 24"

Visible Storage Cabinets

- All-welded mesh door construction.
- Provide secure, visible storage for quick inspection.
- Full length doors feature a three-point latch design and cam-bar system.
- Chrome plated handle will accept a padlock (not included), can accommodate flat key lock (optional).
- Shelves bolt into place and are adjustable on 2" centers with capacity of 300 lbs. each.
- Plastic Bins, impervious to most solvents and corrosives, clip on/off galvanized Pick Racks that bolt to cabinet back.
- All bins shown are 5-7/8"w x 11-1/8"d x 5"h with capacity of 285 cu. in.
- Overall Size: 36"w x 72"h.



RS1152B



RS1150B





RS1154B

COLOR SELECTION

IN STOCK



ALSO AVAILABLE



Description	No. of Shelves	No. of Bins	Part #
18" Deep Cabinet	2	15	RS1152
18" Deep Cabinet with 4" base	2	15	RS1152B
18" Deep Cabinet	4	0	RS1150
18" Deep Cabinet with 4" base	4	0	RS1150B
18" Deep Cabinet	0	45	RS1154
18" Deep Cabinet with 4" base	0	45	RS1154B
21" Deep Cabinet	2	15	RS1153
21" Deep Cabinet with 4" base	2	15	RS1153B
21" Deep Cabinet	4	0	RS1151
21" Deep Cabinet with 4" base	4	0	RS1151B

ACCESSORIES

- RS11371** - 36"w x 18"d Shelf
RS11381 - 36"w x 21"d Shelf
RS1142 - 18"d x 4"h Base
RS1143 - 21"d x 4"h Base
RS11403 - 36"w Galvanized Pick Rack
RS78203 - 4 1/8"w x 5 3/8"d x 3"h Plastic Bin
RS78206 - 4 1/8"w x 7 3/8"d x 3"h Plastic Bin
RS78209 - 5 1/2"w x 10 5/8"d x 5"h Plastic Bin




High Visibility Storage Cabinet

- Three walls of mesh for extra visibility.
- Reinforcing K-brace welded to the door frame for added strength and proper door alignment.
- 13-gauge diamond shaped steel mesh stands up to heavy use.
- Adjustable shelves bolt into holes spaced from 8-3/4" at bottom to 8-3/4" from top.
- Full length door has three-point latching system with cam-locking system and chrome plated handle.
- Ships assembled.
- Overall Size: 24"w x 21"d x 78"h.

RS1130

COLOR SELECTION

IN STOCK



ALSO AVAILABLE



Cabinet colors help quickly identify the type of chemicals being stored. While OSHA does not mandate specific colors for safety cabinets, Republic follows industry standard for color coding in their safety storage cabinet design. Color coding helps first responders in the event of an emergency situation.

- Yellow for Flammable Liquids, Hazmat, and Safety Center
- Red for Paints and Inks
- Blue for Acids and Corrosives
- Green for Pesticides



Flammable Liquids



RSR5471
12-Gallon
43" x 18" x 18"



RSR5472/RSR5465
17-Gallon
43" x 18" x 24"



RSR5473
12-Gallon
23 1/4" x 18" x 35"



RSR5474
15-Gallon
23 1/4" x 18" x 44"



RSR5466/RSR5469
20-Gallon
43" x 12" x 44"



RSR5467
22-Gallon
35" x 22" x 35"



RSR5440N
30-Gallon
43" x 18" x 44"



RSR5441N - Self-Closing Door
30-Gallon
43" x 18" x 44"



RSR5444N
45-Gallon
43" x 18" x 65"



RSR5445N - Self-Closing Door
45-Gallon
43" x 18" x 65"



RSR5460
60-Gallon
32" x 32" x 65"

Paints and Inks



RSR5640
30-Gallon
43" x 18" x 44"



RSR5641
30-Gallon
43" x 18" x 44"



RSR5660
45-Gallon
43" x 18" x 65"



RSR5661
45-Gallon
43" x 18" x 65"

Acids and Corrosives



RSR5595
22-Gallon
35" x 22" x 35"



RSR5566/RSR5569
20-Gallon
43" x 12" x 44"



RSR5540
30-Gallon
43" x 18" x 44"



RSR5541
30-Gallon
Self-Closing Door
43" x 18" x 44"



RSR5544
45-Gallon
43" x 18" x 65"



RSR5545
45-Gallon
Self-Closing Door
43" x 18" x 65"

Pesticides



RSR5773
12-Gallon
23 1/4" x 18" x 35"



RSR5740
30-Gallon
43" x 18" x 44"



RSR5741 - Self-Closing Door
30-Gallon
43" x 18" x 44"



RSR5744
45-Gallon
43" x 18" x 65"



RSR5745
45-Gallon
Self-Closing Door
43" x 18" x 65"

Choosing the Right Cabinet:

Flammable Liquids • Paints and Inks • Acids and Corrosives • Pesticides



Step 1

Identify the type of chemicals to be stored.

Step 2

Identify the size of containers being stored and your capacity requirements.

Step 3

Choose the Door Style that best fits your needs. (Some states or locales follow either the *International Fire Code* or *NFPA 1 Uniform Fire Code*™ which mandates the use of self-closing cabinets.)

Manual and Self-Closing Doors



Manual-closing door



Self-closing doors feature manual latch with fusible link.

Latch holds door open when in use and will release to close door automatically when temperatures reach 165°F.

Full length continuous door hinges

Powder coat finish



Heavy-duty ribbed, galvanized steel shelves deliver load capacity of 350 lbs. per shelf and are adjustable on 3" vertical centers.

Screened flame arrester vents on both sides of cabinet (one high and one low) are threaded to accept standard 2" pipe for external exhaust.

Four, Zinc-plated leveling legs included.

All-welded 18-gauge, double wall construction with 1-1/2" of insulating air space offers fire resistant protection.




Black, flush-mounted paddle handle design allows easy fingertip operation and features a double key set that can be padlocked. (Padlock not included.)

Slam-action closing mechanism utilizes a three-point stainless steel bullet latching system.

Ground wire connection deters static build-up. (Wire not included.)

2" high leak-proof bottom pan

Polyethylene Shelf Liners



Replaceable, leakproof 2" deep trays offer additional protection with a slightly raised curved edge to contain spills. Shelf liners are included with Acids and Corrosives and Pesticides Cabinets. Optional with Flammable Liquids and Paints and Inks Cabinets.

Flammable Liquids Cabinets

- Conforms to NFPA Fire Code No. 30 and OSHA standards.
- Adjust or add shelves to accommodate different size or additional containers.
- Optional polyethylene trays offer additional protection.
- For specifications and features, see page 49.



97
Sunshine

Yellow for Flammable Liquids

Capacity	W x D x H	No. of Shelves	Manual-Closing	Self-Closing	Cabinet Options		
					Extra Shelf	Mounting Brackets	Tray
Standard							
30 gal.	43" x 18" x 44"	1	RSR5440N	RSR5441N	RSN5449	N/A	RS5550
45 gal.	43" x 18" x 65"	2	RSR5444N	RSR5445N	RSN5449	N/A	RS5550
60 gal.	32" x 32" x 65"	2	RSR5460	RSR5461	RSN5450	N/A	N/A
Compact							
4 gal.	17" x 17" x 22"	1	RSR5470	N/A	RSN5478	RS5480	N/A
12 gal.	23-1/4" x 18" x 35"	1	RSR5473	N/A	RSN5476	N/A	N/A
12 gal.	43" x 18" x 18"	—	RSR5471	N/A	N/A	RS5479	N/A
15 gal.	23-1/4" x 18" x 44"	1	RSR5474	N/A	RSN5476	N/A	N/A
17 gal.	43" x 18" x 24"	1	RSR5472	N/A	RSN5449	RS5479	N/A
17 gal.	43" x 18" x 24"	1	RSR5465*	N/A	RSN5449	included	N/A
20 gal.	43" x 12" x 44"	2	RSR5466*	N/A	RSN5477	included	N/A
20 gal.	43" x 12" x 44"	2	RSR5469	N/A	RSN5477	RS5479	RS5552
Under-Counter							
22 gal.	35" x 22" x 35"	1	RSR5467	N/A	RSN5468	N/A	RS5568

Note: Not Recommended for Phenol, Sulfuric, or Nitric Acids.

*Includes brackets for wall-mounting.

Acids and Corrosives Cabinets

- Conforms to NFPA Fire Code No. 30 and OSHA standards.
- Adjust or add shelves to accommodate different size or additional containers.
- To resist aggressive chemicals, these cabinets also **include** polyethylene trays for the shelves and the bottom pan.
- For specifications and features, see page 49.



RSR5591



RSR5566-RSR5569



RSR5540



RSR5541



RSR5544

RSR5545



RSR5595



28
Blue

Blue for Acids and Corrosives

Capacity	W x D x H	No. of Shelves	No. of Trays	Manual-Closing	Self-Closing	Cabinet Options		
						Extra Shelf	Replacement Tray	Mounting Brackets
Standard								
30 gal.	43" x 18" x 44"	1	2	RSR5540	RSR5541	RSN5449	RS5550	N/A
45 gal.	43" x 18" x 65"	2	3	RSR5544	RSR5545	RSN5449	RS5550	N/A
Compact								
12 gal.	43" x 18" x 18"	-	1	RSR5591	N/A	RSN5449	RS5550	RS5479
17 gal.	43" x 18" x 24"	1	2	RSR5592	N/A	RSN5449	RS5550	RS5479
17 gal.	43" x 18" x 24"	1	2	RSR5565*	N/A	RSN5449	RS5550	included
20 gal.	43" x 12" x 44"	5	6	RSR5566*	N/A	RSN5477	RS5552	included
20 gal.	43" x 12" x 44"	5	6	RSR5569	N/A	RSN5477	RS5552	RS5479
Under-Counter								
22 gal.	35" x 22" x 35"	1	2	RSR5595	N/A	RSN5468	RS5568	N/A

Note: Not Recommended for Phenol, Sulfuric, or Nitric Acids.

*Includes brackets for wall-mounting.

Paints and Inks Cabinets

Adjustable shelves offer the ideal solution for storing the wide variety of containers for paints and inks – from half pints to 5 gallon pails – all in one cabinet.

- Conforms to NFPA Fire Code No. 30 and OSHA standards.
- Separate and identify Class III combustibles.
- Adjust or add shelves to accommodate different size or additional containers.
- Optional polyethylene trays offer additional protection.
- For specifications and features, see page 49.



Red for Paints and Inks



Capacity	W x D x H	No. of Shelves	Manual-Closing	Self-Closing	Cabinet Options	
					Extra Shelf	Replacement Tray
Standard						
30 gal.	43" x 18" x 44"	3	RSR5640	RSR5641	RSN5449	RS5550
45 gal.	43" x 18" x 65"	5	RSR5660	RSR5661	RSN5449	RS5550

Pesticides Cabinets

Adjustable shelves offer the ideal solution for storing various containers of companies who specialize in lawn care, golf course management, agricultural interest, or just handle pesticides.

- Conforms to NFPA Fire Code No. 30 and OSHA standards.
- Adjust or add shelves to accommodate different size or additional containers.
- To resist aggressive chemicals, these cabinets also **include** polyethylene trays for the shelves and the bottom pan.
- For specifications and features, see page 49.



Green for Pesticides



Capacity	W x D x H	No. of Shelves	No. of Trays	Manual-Closing	Self-Closing	Cabinet Options		
						Extra Shelf	Mounting Brackets	Replacement Tray
Standard								
30 gal.	43" x 18" x 44"	1	2	RSR5740	RSR5741	RSN5449	N/A	RS5550
45 gal.	43" x 18" x 65"	2	2	RSR5744	RSR5745	RSN5449	N/A	RS5550
Compact								
12 gal.	23-1/4" x 18" x 35"	1	2	RSR5773	N/A	RSN5476	RS5479	RS5548

HazMat Response Cabinets

Organize and store your spill containment/ HazMat response equipment on the shop floor, close to the areas at greatest risk. Safety experts agree that rapid response to a HazMat emergency can greatly reduce risk exposure and collateral damage.

- Shelves adjustable on 2" centers.
- Double doors swing full 180° for maximum access.
- 3-point locking device.
- Shipped fully assembled, ready to use
- Overall size: 36"W x 24"D x 78"H.
- #97 Sunshine Yellow finish only.

Part No. RS5460HM – Cabinet with 4 shelves.

Part No. RS5461HM – Cabinet with center partition, coat rod, full width shelf and 4 half shelves. *(Permits storage of HazMat response apparel on hangers).*



RS5460HM



RS5461HM



Safety Centers

Cabinets allow you to quickly evaluate supply inventory without even opening the doors.

- Includes four full-width shelves.
- Shipped fully assembled, ready to use.
- #97 Sunshine Yellow finish only.
- Overall Size: 48"W x 24"D x 82"H.

Part No. RS1120SC

Extra 48"W Shelf for RS1120SC.

Part No. RS1161



ORGANIZED STORAGE DESIGNED FOR EFFICIENCY.

Why Choose Republic Modular Drawer Cabinets...

...to provide you with the highest density storage solution for small to mid-sized products, while reducing your storage footprint by as much as 50%.

PERFORMANCE

The Republic drawer suspension features the highest quality glides resulting in the “smoothest”, most reliable operating drawers in the industry, empty and fully loaded.

ACCESSIBILITY

Full extension drawers provide 100% visibility to the stored product. Republic drawers are ergonomically engineered to provide the best possible human reach points.

EFFICIENCY

Drawer interiors can be sub-divided into compartments for the storage of parts without cartons. Neat and organized storage improves inventory control.

SECURITY

Choose from many different types of latching systems to provide for the safe secure storage of valuable products.

MODULARITY

Flexible design based on a “Building-Block” approach. From pre-engineered to custom-built products, Republic offers an innovative array of easy order options to adapt to your future growth.

NOTE:

With a fully loaded (400 lbs.) drawer capacity, Republic averaged 8,000 cycles compared to 4,000 competitive cycles before drawer push-pull forces exceeded 50 lbs.

Customizing the Right Storage Solution

Contact us with your special requirements; Republic's engineering and manufacturing departments will develop a unique modular drawer cabinet to fit your special application.



A century of Excellence... a legacy of Quality



HIGH DENSITY

- A** Top Knock-Out Holes for Multi-Level Stacking
- B** Side and Back Knock-Out Holes for Multi-Cabinet Attachment
- C** Ergonomic Handles with Removable Labels and Shields
- D** Cylinder Lock with Dust Cover and Jumbo Key
- E** High-Performance 400 lb. Capacity Drawer Suspension
- F** Single-Wall Drawer Construction
- G** Rugged, Reinforced Cabinet Bottoms
- H** Wide Base Opening for Forklift Access

ORGANIZED STORAGE



Pre-Engineered Modular Drawer Cabinet (MDC) Ordering Guide

Pre-Engineered Modular Drawer 30" Wide Standard Cabinets meet the most popular workspace requirements. To complete an item number, follow the steps and see example below:

Step 1

Choose from 6 housing heights: Desk, Table, Bench, Mid-Range, Counter, or Eye-level on pages 57-65.

Step 2

Choose housing and drawer colors from the 49 cabinet/drawer-door color combinations below.

2a. Enter the **LETTER** designation for the **HOUSING** color.

2b. Enter the **LETTER** designation for the **DRAWER** color.

Step 3

Choose drawer access requirements.

Enter **S** for **SINGLE** drawer access (**SDA**).

Enter **M** for **MULTIPLE** drawer access (**MDA**).

Enter **N** for **No SDA or MDA** drawer access.

Step 4

Choose layout kit installation.

Enter **I** for **INSTALLED KIT**.

Enter **K** for **KITTED KITS**.

Enter **O** for **NO KITS**.

Step 5

Choose locking requirements.

Enter **N** for **NO LOCKING SYSTEM**.

Enter **L** for **STANDARD LOCKING SYSTEM**.

Enter **1, 2, 3, 4 or 5** for **KEYED ALIKE**.


LOCKING SYSTEM LOCKS.

Example


The catalog number for the pre-engineered cabinet shown in the illustration below is a Mid-Range 37-3/16" h Cabinet with 6 drawers and 144 compartments from page 6 featuring Vulcan Black housing with Dove Gray drawers, single drawer access, 1 keyed alike locking system and layout kits installed would be: **KDS40303010011.**

Layout Kit Numbers

designates the drawer interior configuration which can be found on pages 66 & 67.




Drawer Number designated in the chart at the bottom of this page.



COLOR SELECTION



6 Housing Heights




5 Housing Footprints

All pre-configured cabinets are 30" wide. If you need additional footprint sizes, please contact us at 800-477-1255.



15 Drawer Heights



Drawer Number	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
"U" Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
"S" Side Height	1-7/8"	3"	4-3/8"	6-1/4"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"	
"H" Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"

MDC


Modular Drawer Cabinets

All Pre-Engineered Modular Drawer 30" Wide Standard Cabinets on this page feature:

- Fork Lift Base


Compartment quantities under each cabinet is based on choosing the layout kit option as noted in step 4 on page 56. Standard cabinet layout kits can be found pages 66 and 67.

DESK HEIGHT – 26-7/8" H x 28-1/4" D




5 drawers with
144 compartments

273030000B




4 drawers with
70 compartments

2730301004




4 drawers with
41 compartments

2730301001




3 drawers with
50 compartments

273030000A




3 drawers with
48 compartments

2730301007




3 drawers with
44 compartments

2730301008



3 drawers with
42 compartments

2730301005



3 drawers with
38 compartments

2730301006

Drawer Number	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Side Height	1-7/8"		3"		4-3/8"		6-1/4"								
Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"

MDC


Modular Drawer Cabinets

All Pre-Engineered Modular Drawer 30" Wide Standard Cabinets on this page feature:

- Fork Lift Base


Compartment quantities under each cabinet is based on choosing the layout kit option as noted in step 4 on page 56. Standard cabinet layout kits can be found pages 66 and 67.

TABLE HEIGHT – 30-1/8" H x 28-1/4" D




7 drawers with
160 compartments

313030000A




6 drawers with
136 compartments

3130301014




6 drawers with
132 compartments

3130301010




5 drawers with
112 compartments

313030000B




5 drawers with
108 compartments

3130301011




4 drawers with
68 compartments

3130301001




4 drawers with
56 compartments

3130301002




4 drawers with
56 compartments

3130301012




3 drawers with
40 compartments

3130301003




3 drawers with
40 compartments

3130301013



3 drawers with
28 compartments

3130301004



2 drawers with
16 compartments

3130301005

Drawer Number	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Side Height	1-7/8"		3"		4-3/8"		6-1/4"								
Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"

MDC


Modular Drawer Cabinets

All Pre-Engineered Modular Drawer 30" Wide Standard Cabinets on this page feature:

- Fork Lift Base


Compartment quantities under each cabinet is based on choosing the layout kit option as noted in step 4 on page 56. Standard cabinet layout kits can be found pages 66 and 67.

BENCH HEIGHT – 33-1/4" H x 28-1/4" D




7 drawers with
152 compartments

3530301001




7 drawers with
140 compartments

3530301018




6 drawers with
110 compartments

3530301026



6 drawers with
108 compartments

3530301002




5 drawers with
104 compartments

353030000B




5 drawers with
100 compartments

3530301025




5 drawers with
92 compartments

3530301003




5 drawers with
92 compartments

3530301004




5 drawers with
90 compartments

3530301029




5 drawers with
84 compartments

3530301028




5 drawers with
84 compartments

3530301027




5 drawers with
80 compartments

3530301023




5 drawers with
76 compartments

3530301007




4 drawers with
88 compartments

353030000A




4 drawers with
68 compartments

3530301030




4 drawers with
62 compartments

3530301032




4 drawers with
58 compartments

3530301031




4 drawers with
56 compartments

3530301008




4 drawers with
56 compartments

3530301024




3 drawers with
40 compartments

3530301009




3 drawers with
36 compartments

3530301021




3 drawers with
30 compartments

3530301010




3 drawers with
28 compartments

3530301033



3 drawers with
24 compartments

3530301034



2 drawers with
16 compartments

3530301005

Drawer Number	Usable Height	Side Height	Front Height
04	2-1/4"	1-7/8"	3-1/16"
05	3"		3-7/8"
06	3-7/8"	3"	4-5/8"
07	4-5/8"		5-7/16"
08	5-3/8"	4-5/8"	6-3/16"
09	6-1/4"		7"
10	7"	6-1/4"	7-3/4"
11	7-3/4"		8-9/16"
12	8-1/2"	6-1/4"	9-3/8"
13	9-3/8"		10-1/8"
14	10-1/8"	6-1/4"	10-7/8"
15	10-7/8"		11-3/4"
16	11-3/4"	6-1/4"	12-1/2"
17	12-1/2"		13-5/16"
18	13-1/4"		14-1/16"




MDC
Modular Drawer Cabinets

All Pre-Engineered Modular Drawer 30" Wide Standard Cabinets on this page feature:

- Fork Lift Base

Compartment quantities under each cabinet is based on choosing the layout kit option as noted in step 4 on page 56. Standard cabinet layout kits can be found pages 66 and 67.

MID-RANGE – 37-3/16" H x 28-1/4" D




10 drawers with
342 compartments

4030301010




8 drawers with
176 compartments

403030000A




7 drawers with
144 compartments

4030301007




6 drawers with
144 compartments

4030301001




5 drawers with
88 compartments

4030301003




5 drawers with
84 compartments

4030301011




5 drawers with
84 compartments

4030301012




5 drawers with
80 compartments

4030301002




5 drawers with
78 compartments

4030301013




4 drawers with
56 compartments

4030301005



4 drawers with
48 compartments

4030301004



4 drawers with
44 compartments

4030301014

Drawer Number	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Side Height	1-7/8"		3"		4-3/8"		6-1/4"								
Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"

Compartment quantities under each cabinet is based on choosing the layout kit option as noted in step 4 on page 56. Standard cabinet layout kits can be found pages 66 and 67.

4930301027

REPUBLIC STORAGE PRODUCTS 61

MDC


Modular Drawer Cabinets

All Pre-Engineered Modular Drawer 30" Wide Standard Cabinets on this page feature:

- Fork Lift Base


Compartment quantities under each cabinet is based on choosing the layout kit option as noted in step 4 on page 56. Standard cabinet layout kits can be found pages 66 and 67.

EYE-LEVEL – 59-1/4" H x 28-1/4" D




17 drawers with
591 compartments

■ ■ ■ 683030000A ■ ■ ■




15 drawers with
336 compartments

■ ■ ■ 6830301001 ■ ■ ■



14 drawers with
300 compartments


■ ■ ■ 6830301002 ■ ■ ■



13 drawers with
256 compartments


■ ■ ■ 6830301003 ■ ■ ■

Drawer Number	Usable Height	Side Height	Front Height
04	2-1/4"	1-7/8"	3-1/16"
05	3"		3-7/8"
06	3-7/8"	3"	4-5/8"
07	4-5/8"		5-7/16"
08	5-3/8"	4-5/8"	6-3/16"
09	6-1/4"		7"
10	7"	6-1/4"	7-3/4"
11	7-3/4"		8-9/16"
12	8-1/2"	6-1/4"	9-3/8"
13	9-3/8"		10-1/8"
14	10-1/8"	6-1/4"	10-7/8"
15	10-7/8"		11-3/4"
16	11-3/4"	6-1/4"	12-1/2"
17	12-1/2"		13-5/16"
18	13-1/4"	6-1/4"	14-1/16"




12 drawers with
264 compartments

■ ■ ■ 6830301024 ■ ■ ■




12 drawers with
240 compartments

■ ■ ■ 6830301005 ■ ■ ■




12 drawers with
224 compartments

■ ■ ■ 6830301004 ■ ■ ■




11 drawers with
269 compartments

■ ■ ■ 683030000F ■ ■ ■




11 drawers with
224 compartments

■ ■ ■ 6830301026 ■ ■ ■




11 drawers with
222 compartments

■ ■ ■ 683030000B ■ ■ ■



11 drawers with
216 compartments

■ ■ ■ 6830301025 ■ ■ ■



11 drawers with
204 compartments

■ ■ ■ 6830301008 ■ ■ ■

MDC


Modular Drawer Cabinets

All Pre-Engineered Modular Drawer 30" Wide Standard Cabinets on this page feature:

- Fork Lift Base


Compartment quantities under each cabinet is based on choosing the layout kit option as noted in step 4 on page 56. Standard cabinet layout kits can be found pages 66 and 67.

EYE-LEVEL – 59-1/4" H x 28-1/4" D




11 drawers with
200 compartments

■ ■ ■ 6830301007 ■ ■ ■




11 drawers with
192 compartments

■ ■ ■ 6830301006 ■ ■ ■




11 drawers with
192 compartments

■ ■ ■ 6830301019 ■ ■ ■




10 drawers with
228 compartments

■ ■ ■ 683030000K ■ ■ ■




10 drawers with
210 compartments

■ ■ ■ 683030000H ■ ■ ■




10 drawers with
192 compartments

■ ■ ■ 6830301027 ■ ■ ■



10 drawers with
180 compartments


■ ■ ■ 683030000C ■ ■ ■



10 drawers with
168 compartments


■ ■ ■ 6830301009 ■ ■ ■

Drawer Number	Usable Height	Side Height	Front Height
04	2-1/4"	1-7/8"	3-1/16"
05	3"		3-7/8"
06	3-7/8"	3"	4-5/8"
07	4-5/8"		5-7/16"
08	5-3/8"	4-5/8"	6-3/16"
09	6-1/4"		7"
10	7"	6-1/4"	7-3/4"
11	7-3/4"		8-9/16"
12	8-1/2"		9-3/8"
13	9-3/8"		10-1/8"
14	10-1/8"		10-7/8"
15	10-7/8"		11-3/4"
16	11-3/4"		12-1/2"
17	12-1/2"		13-5/16"
18	13-1/4"		14-1/16"




10 drawers with
164 compartments

■ ■ ■ 6830301010 ■ ■ ■




9 drawers with
156 compartments

■ ■ ■ 6830301028 ■ ■ ■



9 drawers with
144 compartments

■ ■ ■ 6830301013 ■ ■ ■



9 drawers with
144 compartments

■ ■ ■ 6830301011 ■ ■ ■

MDC


Modular Drawer Cabinets

All Pre-Engineered Modular Drawer 30" Wide Standard Cabinets on this page feature:

- Fork Lift Base


Compartment quantities under each cabinet is based on choosing the layout kit option as noted in step 4 on page 56. Standard cabinet layout kits can be found pages 66 and 67.

EYE-LEVEL – 59-1/4" H x 28-1/4" D




9 drawers with
140 compartments

6830301012




9 drawers with
128 compartments

6830301029



8 drawers with
184 compartments


68303000D



8 drawers with
181 compartments


683030000E

Drawer Number	Usable Height	Side Height	Front Height
04	2-1/4"	1-7/8"	3-1/16"
05	3"		3-7/8"
06	3-7/8"	3"	4-5/8"
07	4-5/8"		5-7/16"
08	5-3/8"	4-5/8"	6-3/16"
09	6-1/4"		7"
10	7"		7-3/4"
11	7-3/4"		8-9/16"
12	8-1/2"		9-3/8"
13	9-3/8"		10-1/8"
14	10-1/8"		10-7/8"
15	10-7/8"		11-3/4"
16	11-3/4"		12-1/2"
17	12-1/2"		13-5/16"
18	13-1/4"		14-1/16"




8 drawers with
120 compartments

6830301031




8 drawers with
116 compartments

6830301033




8 drawers with
112 compartments

6830301030




8 drawers with
104 compartments

6830301014




8 drawers with
100 compartments

6830301032




7 drawers with
96 compartments

6830301034




7 drawers with
80 compartments

6830301015



7 drawers with
77 compartments

683030000G



REPUBLIC STORAGE PRODUCTS 65

MDC

Modular Drawer Cabinets


Standard Width
Layout Kits

How to Order:

Complete the part number with one of the following drawer numbers:

045 for 04 & 05
067 for 06 & 07
089 for 08 & 09
100 for 10+

Example:



2 compartments
NF0A — — — **3030**
↑ ↑ ↑ drawer number

The prefix NF has been added to each Layout Kit part number

The catalog number for the pre-engineered layout kit for a 04 and 05 drawer number with 2 compartments is:

NF0A0453030

Usable Height


Use the chart below to identify "Usable Height" dimensions for the specific drawer numbers.

Drawer Number	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Side Height	1-7/8"		3"		4-3/8"		6-1/4"								
Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"


Compartment Size

The chart below identifies individual compartment sizes found in the layout kit illustrations.


Compartment Size	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Dimension	1-7/8"	2-11/16"	3-1/2"	4-1/4"	5-1/16"	5-7/8"	6-11/16"	7-1/2"	8-1/4"	9-1/16"	9-7/8"	10-11/16"	11-1/2"	12-1/4"	13-1/16"
Compartment Size	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Dimension	13-7/8"	14-11/16"	15-1/2"	16-1/4"	17-1/16"	17-7/8"	18-11/16"	19-1/2"	20-1/4"	21-1/16"	21-7/8"	22-11/16"	23-7/16"	24-1/4"	25-1/16"




For the; usable drawer height dimensions, drawer and housing heights, housing footprints and ordering guide see page 56.
The prefix NF has been added to each Layout Kit part number.




8 compartments
NF0D __ 3030




16 compartments
NF0P ___ 3030




32 compartments
NFAJ 3030



48 compartments
NFTT__3030



48 plastic bins
3"w x 3"d
3"w x 3"d & partition
NFBA0453030 04 & 05
NFBA0673030 06 & 07



2 Hanging File Frames
NFHF1003030 14+

OVERHEAD UNITS

- Provides additional bulk storage above cabinets
- Flat bottom attaches directly to cabinet top below
(Fasteners are included. No drilling)
- Shipped pre-assembled to lower cabinet when ordered together

STEP 1

Choose Overhead Unit size and configuration.

STEP 2

Next specify the housing and drawer colors from the 49 cabinet/drawer-door color combinations to the right by adding a prefix to the part number.

- 2a.** Enter the **LETTER** designation for the **HOUSING** color
2b. Enter the **LETTER** designation for the **DRAWER** color

STEP 3

Determine locking system. Use either; **N** for No locking system, **L** for standard locking system or **1** for keyed alike when ordered with lower cabinet. Add the locking system digit as a suffix to the part number.

EXAMPLE

The part number for the overhead unit shown is a double unit, 59-5/8" wide in dove gray, multiple drawer access, standard locking system:

DD35603010550L

35603010550
 2a 2b 3



Slender (22-13/16" Wide)

Standard (30" Wide)

Medium (36-3/8" Wide)

Extra (44-3/8" Wide)

Double (59-5/8" Wide)

24-7/8" Height

Base shelf and 1 adjustable shelf without base channels
N27223010500N

Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels
N27223010550_

Base shelf and 1 adjustable shelf without base channels
N27303010500N

Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels
N27303010550_

Base shelf and 1 adjustable shelf without base channels
N27363010500N

Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels
N27363010550_

Base shelf and 1 adjustable shelf without base channels
N27453010500N

Base shelf and 1 adjustable shelf behind 2 lockable swing doors without base channels
N27453010550_

Base shelf and 1 adjustable shelf without base channels
N27603010500N

Base shelf and 1 adjustable shelf behind 2 lockable swing doors without base channels
N27603010550_

28" Height

Base shelf and 1 adjustable shelf without base channels
N31223010500N

Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels
N31223010550_

Base shelf and 1 adjustable shelf without base channels
N31303010500N

Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels
N31303010550_

Base shelf and 1 adjustable shelf without base channels
N31363010500N

Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels
N31363010550_

Base shelf and 1 adjustable shelf without base channels
N31453010500N

Base shelf and 1 adjustable shelf behind 2 lockable swing doors without base channels
N31453010550_

Base shelf and 1 adjustable shelf without base channels
N31603010500N

Base shelf and 1 adjustable shelf behind 2 lockable swing doors without base channels
N31603010550_

31-1/8" Height

Base shelf and 1 adjustable shelf without base channels
N35223010500N

Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels
N35223010550_

Base shelf and 1 adjustable shelf without base channels
N35303010500N

Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels
N35303010550_

Base shelf and 1 adjustable shelf without base channels
N35363010500N

Base shelf and 1 adjustable shelf behind 1 lockable swing door without base channels
N35363010550_

Base shelf and 1 adjustable shelf without base channels
N35453010500N

Base shelf and 1 adjustable shelf behind 2 lockable swing doors without base channels
N35453010550_

Base shelf and 1 adjustable shelf without base channels
N35603010500N

Base shelf and 1 adjustable shelf behind 2 lockable swing doors without base channels
N35603010550_

Note: Overhead cabinet width must match width of lower cabinet; exception, double overhead cabinets at 59-5/8" wide can be assembled over two (2) standard cabinets which are 30" wide, keep in mind this installation will produce a 3/8" gap on either side of the overhead unit. Field installation only.



Mobile cabinets provide a workshop on wheels.

- Includes tubular handle and rubber end caps.
- Includes (2) fixed and (2) swivel with brake, 6" dia. x 2"w casters. (2,800 lb. capacity.)
- Drawer units feature single drawer access.
- Polyolefin caster tread does not mar floors.
- Cabinet ships pre-assembled. Assembly required for casters and handle.
- Drawer layout kits include black polyester mesh insert.

Drawer Number	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Side Height	1-7/8"		3"		4-3/8"		6-1/4"								
Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"

Standard (30" Wide)



4 drawers with
21 compartments
overall height = 35-1/2".

■ **S3130301009** ■




6 drawers with
75 compartments
overall height = 38-5/8".

■ **S3530301019** ■



5 drawers with
92 compartments
overall height = 38-5/8".

■ **S3530301020** ■



8 drawers with
24 compartments
overall height = 42-9/16".

■ **S4030301020** ■

Medium (36-3/8" Wide)



6 drawers with
108 compartments
overall height = 38-5/8".

■ **S3536301021** ■



5 drawers with
104 compartments
overall height = 38-5/8".


■ **S3536301022** ■



5 drawers with
84 compartments
overall height = 42-9/16".


■ **S4036301021** ■

Extra (44-3/8" Wide)




5 drawers with
92 compartments
overall height = 38-5/8".

■ **S3545301020** ■



5 drawers with
64 compartments
overall height = 38-5/8".

■ **S3545301023** ■



8 drawers with
44 compartments
overall height = 42-9/16".

■ **S4045301020** ■

Side-by-side cabinets provide a workshop on wheels.

- Includes tubular handle and rubber end caps.
- Includes (2) fixed and (2) swivel w/brake, 6" dia. x 2"w casters. (2,800 lb. capacity.)
- Polyolefin caster tread does not mar floors.
- Drawer units feature single drawer access.
- Cabinet and door locks are keyed-alike.
- Cabinet ships pre-assembled. Assembly required for casters and handle.
- Drawer layout kits include black polyester mesh insert.

Drawer Number	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18
Usable Height	2-1/4"	3"	3-7/8"	4-5/8"	5-3/8"	6-1/4"	7"	7-3/4"	8-1/2"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-1/4"
Side Height	1-7/8"		3"		4-3/8"		6-1/4"								
Front Height	3-1/16"	3-7/8"	4-5/8"	5-7/16"	6-3/16"	7"	7-3/4"	8-9/16"	9-3/8"	10-1/8"	10-7/8"	11-3/4"	12-1/2"	13-5/16"	14-1/16"

Bench (39-3/4" High)



6 drawers with 108 compartments
base shelf and adjustable shelf behind
lockable swing door.

■ **S352230W1001** ■ - 45-5/8"w
■ **S353030W2001** ■ - 60"w



5 drawers with 104 compartments
base shelf and adjustable shelf behind
lockable swing door.

■ **S352230W1002** ■ - 45-5/8"w
■ **S353030W2002** ■ - 60"w



4 drawers with 21 compartments
base shelf and adjustable shelf behind
lockable swing door.


■ **S352230W1003** ■ - 45-5/8"w
■ **S353030W2003** ■ - 60"w

Bench (39-3/4" High)



12 drawers with 216 compartments.

■ **S352230W1004** ■ - 45-5/8"w
■ **S353030W2004** ■ - 60"w



10 drawers with 208 compartments.

■ **S352230W1005** ■ - 45-5/8"w
■ **S353030W2005** ■ - 60"w



8 drawers with 42 compartments.

■ **S352230W1006** ■ - 45-5/8"w
■ **S353030W2006** ■ - 60"w

Mid-Range (43-3/4" High)



6 drawers with 58 compartments
base shelf and adjustable shelf behind
lockable swing door.

■ **S402230W1001** ■ - 45-5/8"w
■ **S403030W2001** ■ - 60"w



5 drawers with 60 compartments
base shelf and adjustable shelf behind
lockable swing door.

■ **S402230W1002** ■ - 45-5/8"w
■ **S403030W2002** ■ - 60"w



4 drawers with 96 compartments
2 base shelves and 2 adjustable shelves behind
2 lockable swing doors.

■ **S402230W1003** ■ - 45-5/8"w
■ **S403030W2003** ■ - 60"w

Workbench Kit Style 1

- Kit includes panel leg, adjustable footrest, and work surface.
- All work surfaces are 30" deep.
- Kit can be assembled to either side of cabinet.
- Field installed only.

Step 1 - Modular Drawer Cabinets


Choose one of the pre-engineered cabinets from our Desk High, Table High, Bench High or Mid-Range High selections on pages 57-65 of this catalog in Standard widths. For slender widths contact customer service.

Note: Consider cabinets with (Multiple Drawer Access), since tipping is highly unlikely.

Step 2 - Workbench Kit


Match the cabinet to the cabinet height of the kits in the table to the right. Choose the work surface for your workbench. *Note: The part number chosen in Step 1 combined with the part number chosen in Step 2, creates a Workbench.*

Laminate = Particle board core with plastic laminate cover.



- Ideal for light-duty applications.
- 180° soft edge, chip resistant.
- Color = Putty.
- 1-5/8" Thick.
- 800 lb. capacity.

Steel = 12 Gauge formed panel with reinforcing channels.




- Ideal for heavy-duty applications.
- 1-3/4" Thick.
- 1,700 lb. capacity.

Laminated Wood = Solid-laminated with rounded edges and sealed finish.



- Ideal for precision work.
- Sealed Kiln-dried hardwoods.
- 3/16" radius edges.
- 1-3/4" Thick.
- 5,000 lb. capacity.





Stainless = 16 Gauge formed stainless steel cover over hardwood.



- For the ultimate workbench application.
- 1-13/16" Thick.
- 5,000 lb. capacity.

Custom lengths available on special request.

Please note: catalog numbers do not include cabinet. (see step 1).

Work Surface Height	Cat. No.	Work Surface
 Desk (28-5/8" High)	■ 251270WB1001	60"w Laminate
	■ 251270WB1003	60"w Steel
	■ 251270WB1004	60"w Hardwood
	■ 251270WB1005	60"w Stainless
	■ 251270WB1011	72"w Laminate
	■ 251270WB1013	72"w Steel
 Table (31-7/8" High)	■ 251270WB1014	72"w Hardwood
	■ 251270WB1015	72"w Stainless
	■ 251310WB1001	60"w Laminate
	■ 251310WB1003	60"w Steel
	■ 251310WB1004	60"w Hardwood
	■ 251310WB1005	60"w Stainless
 Bench (35" High)	■ 251310WB1011	72"w Laminate
	■ 251310WB1013	72"w Steel
	■ 251310WB1014	72"w Hardwood
	■ 251310WB1015	72"w Stainless
	■ 251350WB1001	60"w Laminate
	■ 251350WB1003	60"w Steel
 Mid-Range (39" High)	■ 251350WB1004	60"w Hardwood
	■ 251350WB1005	60"w Stainless
	■ 251350WB1011	72"w Laminate
	■ 251350WB1013	72"w Steel
	■ 251350WB1014	72"w Hardwood
	■ 251350WB1015	72"w Stainless
	■ 251400WB1001	60"w Laminate
	■ 251400WB1003	60"w Steel
	■ 251400WB1004	60"w Hardwood
	■ 251400WB1005	60"w Stainless
	■ 251400WB1011	72"w Laminate
	■ 251400WB1013	72"w Steel
	■ 251400WB1014	72"w Hardwood
	■ 251400WB1015	72"w Stainless

COLOR SELECTION

Determine which color you desire and add the two (2) letter digits as a prefix to the Workbench chosen.

						
A Ash	B Wedgewood Blue	D Dove Gray	H Red Baron	J Hunter Green	K Vulcan Black	P Putty

Workbench Kit Style 2

- Kit includes panel leg, adjustable footrest, steel shelf riser (12"h x 10-1/2"d), back stop, pick rack, and work surface.
- All work surfaces are 30" deep.
- Kit can be assembled to either side of cabinet.
- Field installed only.

Step 1 - Modular Drawer Cabinets


Choose one of the pre-engineered cabinets from our Desk High, Table High, Bench High or Mid-Range High selections on pages 57-65 of this catalog in Standard widths. For slender widths contact customer service.

Note: Consider cabinets with (Multiple Drawer Access), since tipping is highly unlikely.

Step 2 - Workbench Kit


Match the cabinet to the cabinet height of the kits in the table to the right. Choose the work surface for your workbench. *Note: The part number chosen in Step 1 combined with the part number chosen in Step 2, creates a Workbench.*

Laminate = Particle board core with plastic laminate cover.



- Ideal for light-duty applications.
- 180° soft edge, chip resistant.
- Color = Putty.
- 1-5/8" Thick.
- 800 lb. capacity.

Steel = 12 Gauge formed panel with reinforcing channels.




- Ideal for heavy-duty applications.
- 1-3/4" Thick.
- 1,700 lb. capacity.

Laminated Wood = Solid-laminated with rounded edges and sealed finish.



- Ideal for precision work.
- Sealed Kiln-dried hardwoods.
- 3/16" radius edges.
- 1-3/4" Thick.
- 5,000 lb. capacity.

Stainless = 16 Gauge formed stainless steel cover over hardwood.



- For the ultimate workbench application.
- 1-13/16" Thick.
- 5,000 lb. capacity.




Custom lengths available on special request.

Please note: catalog numbers do not include cabinet. (see step 1).

Work Surface Height	Cat. No.	Work Surface
 Desk (28-5/8" High)	■ 251270WB1006	60"w Laminate
	■ 251270WB1008	60"w Steel
	■ 251270WB1009	60"w Hardwood
	■ 251270WB1010	60"w Stainless
	■ 251270WB1016	72"w Laminate
	■ 251270WB1018	72"w Steel
	■ 251270WB1019	72"w Hardwood
	■ 251270WB1020	72"w Stainless
 Table (31-7/8" High)	■ 251310WB1006	60"w Laminate
	■ 251310WB1008	60"w Steel
	■ 251310WB1009	60"w Hardwood
	■ 251310WB1010	60"w Stainless
	■ 251310WB1016	72"w Laminate
	■ 251310WB1018	72"w Steel
	■ 251310WB1019	72"w Hardwood
	■ 251310WB1020	72"w Stainless
 Bench (35" High)	■ 251350WB1006	60"w Laminate
	■ 251350WB1008	60"w Steel
	■ 251350WB1009	60"w Hardwood
	■ 251350WB1010	60"w Stainless
	■ 251350WB1016	72"w Laminate
	■ 251350WB1018	72"w Steel
	■ 251350WB1019	72"w Hardwood
	■ 251350WB1020	72"w Stainless
 Mid-Range (39" High)	■ 251400WB1006	60"w Laminate
	■ 251400WB1008	60"w Steel
	■ 251400WB1009	60"w Hardwood
	■ 251400WB1010	60"w Stainless
	■ 251400WB1016	72"w Laminate
	■ 251400WB1018	72"w Steel
	■ 251400WB1019	72"w Hardwood
	■ 251400WB1020	72"w Stainless

COLOR SELECTION

Determine which color you desire and add the two (2) letter ■ digits as a prefix to the Workbench chosen.



WORKBENCH CONCEPTIONS

- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system.
- All concepts can be assembled either left or right side.
- Field assembled only. (*Easy to follow instructions provided*).
- Specify framework/housing color and drawer color, from the 49 cabinet/drawer-door color combinations below by adding a prefix to the part number.

Enter the **LETTER** designation for the **HOUSING** color

Enter the **LETTER** designation for the **DRAWER** color

Example = **DD251WBC01**

(for dove gray frame/housing and dove gray drawers).

COLOR SELECTION



CONCEPT 1

Cat. No. **251WBC01**

CONSISTS OF:

Qty.	Cat. No.	Description
1	M352230000A0L	Bench Slender Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	240853	Adjustable Footrest
1	251WHD60	Hardwood Work Surface, 60"w



CONCEPT 2

Cat. No. **251WBC02**

CONSISTS OF:

Qty.	Cat. No.	Description
1	M352230000A0L	Bench Slender Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	240853	Adjustable Footrest
1	251WHD60	Hardwood Work Surface, 60"w
1	251WBS60	Back Stop, 60"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	2625	12"h Shelf Riser, 60"w



CONCEPT 3

Cat. No. ■■251WBC03

CONSISTS OF:

Qty.	Cat. No.	Description
1	M352230000A0L	Bench Slender Pre-Engineered Cabinet
1	M352230000B0L	Bench Slender Pre-Engineered Cabinet
1	251WHD72	Hardwood Work Surface, 72"w



CONCEPT 4

Cat. No. ■■251WBC04

CONSISTS OF:

Qty.	Cat. No.	Description
1	M352230000A0L	Bench Slender Pre-Engineered Cabinet
1	M352230000B0L	Bench Slender Pre-Engineered Cabinet
1	251WHD72	Hardwood Work Surface, 72"w
1	251WBS72	Back Stop, 72"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	2629	18"h Shelf Riser, 72"w
1	2631	Pick Rack, 72"w



CONCEPT 5

Cat. No. ■■251WBC05

CONSISTS OF:

Qty.	Cat. No.	Description
1	M352230000B0L	Bench Slender Pre-Engineered Cabinet
2	251OPL350	Bench Open Panel Leg
2	251STR36	Stringer
1	251WHD72	Hardwood Work Surface, 72"w



CONCEPT 6

Cat. No. ■■251WBC06

CONSISTS OF:

Qty.	Cat. No.	Description
1	M352230000B0L	Bench Slender Pre-Engineered Cabinet
2	251OPL350	Bench Open Panel Leg
2	251STR36	Stringer
1	251WHD72	Hardwood Work Surface, 72"w
1	251WBS72	Back Stop, 60"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	2629	18"h Shelf Riser, 72"w
1	2631	Pick Rack, 72"w



WORKBENCH CONCEPTIONS

- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system.
- All concepts can be assembled either left or right side.
- Field assembled only. (*Easy to follow instructions provided*).
- Specify framework/housing color and drawer color, from the 49 cabinet/drawer-door color combinations below by adding a prefix to the part number.

Enter the **LETTER** designation for the **HOUSING** color

Enter the **LETTER** designation for the **DRAWER** color

Example = **DD251WBC01**

(for dove gray frame/housing and dove gray drawers).

COLOR SELECTION



CONCEPT 7

Cat. No. **251WBC07**

CONSISTS OF:

Qty.	Cat. No.	Description
1	M68303010140L	Eye-Level Standard Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	251UCSD60	Under-Counter Shelf (set of 2)
1	250HILO	Hi-Lo Bracket Kit
1	251WHD60	Hardwood Work Surface, 60"w



CONCEPT 8

Cat. No. **251WBC08**

CONSISTS OF:

Qty.	Cat. No.	Description
1	M68303010140L	Eye-Level Standard Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	251UCSD60	Under-Counter Shelf (set of 2)
1	250HILO	Hi-Lo Bracket Kit
1	251WHD60	Hardwood Work Surface, 60"w
1	251WBS60	Back Stop 60"w
1	251WSSL	Side Stop, LH
1	2625	12"h Shelf Riser, 60"w



CONCEPT 9

Cat. No. ■■251WBC09

CONSISTS OF:

Qty.	Cat. No.	Description
1	M68303010140L	Eye-Level Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	250HILO	Hi-Lo Bracket Kit
1	251WHD72	Hardwood Work Surface, 72"w



CONCEPT 10

Cat. No. ■■251WBC10

CONSISTS OF:

Qty.	Cat. No.	Description
1	M68303010140L	Eye-Level Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	250HILO	Hi-Lo Bracket Kit
1	251WHD72	Hardwood Work Surface, 72"w
1	251WBS72	Back Stop 72"w
1	251WSSL	Side Stop, LH
1	2629	18"h Shelf Riser, 72"w
1	2631	Pick Rack, 72"w



CONCEPT 11

Cat. No. ■■251WBC11

CONSISTS OF:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	251CPL350	Bench Closed Panel Leg
2	251UCS72	Under-Counter Shelf
1	251MDP72350	Bench Modesty Panel
1	251WHD72	Hardwood Work Surface, 72"w



CONCEPT 12

Cat. No. ■■251WBC12

CONSISTS OF:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	251CPL350	Bench Closed Panel Leg
2	251UCS72	Under-Counter Shelf
1	251MDP72350	Bench Modesty Panel
1	251WHD72	Hardwood Work Surface, 72"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	251BRS7221	21"h Bookcase Riser, 72"w
1	251RBP7221	21"h Bookcase Riser Back Panel, 72"w
1	79020	Light Fixture



WORKBENCH CONCEPTIONS

- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system.
- All concepts can be assembled either left or right side.
- Field assembled only. (*Easy to follow instructions provided*).
- Specify framework/housing color and drawer color, from the 49 cabinet/drawer-door color combinations below by adding a prefix to the part number.

Enter the **LETTER** designation for the **HOUSING** color

Enter the **LETTER** designation for the **DRAWER** color

Example = **DD251WBC01**

(for dove gray frame/housing and dove gray drawers).

COLOR SELECTION



CONCEPT 13

Cat. No. **251WBC13**

CONSISTS OF:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	251CPL350	Bench Closed Panel Leg
2	251UCS72	Under-Counter Shelf
1	251MDP72350	Bench Modesty Panel
1	251WHD72	Hardwood Work Surface, 72"w
1	251WSSR	Side Stop, RH
1	251WSSL	Side Stop, LH
1	251BRS7221	21"h Bookcase Riser, 72"w
1	251RBP7221	21"h Bookcase Riser Back Panel, 72"w
1	79020	Light Fixture
2	251BKCD270M	Bookcase with Doors, 36"w



CONCEPT 14

Cat. No. ■■251WBC14

CONSISTS OF:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	251WHD90	Hardwood Work Surface, 90"w



CONCEPT 15

Cat. No. ■■251WBC15

CONSISTS OF:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	251WHD90	Hardwood Work Surface, 90"w
1	251BRS9021	Bookcase Riser



CONCEPT 16

Cat. No. ■■251WBC16

CONSISTS OF:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	251WHD90	Hardwood Work Surface, 90"w
1	251BRS9021	Bookcase Riser
3	251BKCD270	Bookcase with Doors, 30"w



WORKBENCH CONCEPTIONS

- All pre-engineered units feature empty drawers (*no layouts*) and multiple drawer locking system.
- All concepts can be assembled either left or right side.
- Field assembled only. (*Easy to follow instructions provided*).
- Specify framework/housing color and drawer color, from the 49 cabinet/drawer-door color combinations below by adding a prefix to the part number.

■ Enter the **LETTER** designation for the **HOUSING** color

■ Enter the **LETTER** designation for the **DRAWER** color

Example = **DD251WBC01**

(for dove gray frame/housing and dove gray drawers).



COLOR SELECTION



CONCEPT 17

Cat. No. ■■251WBC17

CONSISTS OF:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	251WHD90	Hardwood Work Surface, 90" w
1	251WHD60	Hardwood Work Surface, 60" w
1	250SPICE	Splice Plate Kit





CONCEPT 18

Cat. No.   **251WBC18**

CONSISTS OF:

Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	251WHD90	Hardwood Work Surface, 90"w
1	251WHD60	Hardwood Work Surface, 60"w
1	250SPICE	Splice Plate Kit
2	251BRS6021	Bookcase Riser
2	251RBP6021	Bookcase Riser Back Panel
1	251BCR3021	Bookcase Corner Riser
2	79020	Light Fixture



CONCEPT 19

Cat. No.   **251WBC19**

CONSISTS OF:


Qty.	Cat. No.	Description
1	M353030000A0L	Bench Standard Pre-Engineered Cabinet
1	M353030000B0L	Bench Standard Pre-Engineered Cabinet
1	251OPL350	Bench Open Panel Leg
1	251WHD90	Hardwood Work Surface, 90"w
1	251WHD60	Hardwood Work Surface, 60"w
1	250SPICE	Splice Plate Kit
2	251BRS6021	Bookcase Riser
2	251RBP6021	Bookcase Riser Back Panel
1	251BCR3021	Bookcase Corner Riser
2	79020	Light Fixture
4	251BKCD270	Bookcase with Doors, 30"w

Secure, High Density Weapons Storage

The Ultimate Storage Solution for military, domestic defense and police professionals

Maximize your storage, workspace and security with Republic Modular Drawer Weapons Cabinets. This high density storage solution provides a maximum level of security in an organized and efficient storage footprint.

- Meets the requirements of paragraph 4 of the Small Arms Storage Rack Certification Document; part of AR 190-11 for the physical security of arms, ammunition and explosives.
- Integrated locking system at both vertical drawer ends provides for ultimate security. *(Padlock not included.)*
- 4:1 storage space savings as compared to typical rack systems.
- Rubber-coated gun partitions and foam inserts for pistols protect and secure weapons within each drawer.
- All drawers feature a bottom polyester mesh liner for weapon surface protection.



Accessories

- Choose a hardwood top work surface or add an Overhead Unit for the bulk storage of ancillary items.
- Add a foam insert.

Rifle Storage

Pre-engineered units are Eye-Level - 59-1/4"h x 28-1/4"d.


RIFLE STORAGE

Extra
(44-3/8"w)



■ **N6845300WPNI**
40 Weapons
A4, MP542, M1200,
M16, M4, M4A1


Double
(59-5/8"w)



■ **N6860300WPNI**
40 Weapons
CAR15, M-1A, M24,
M16 w/M203


PISTOL STORAGE

Slender
(22-13/16"w)




■ **N6822300WPNI**
220 Pistols

Standard
(30"w)




■ **N6830300WPNI**
320 Pistols

Medium
(36-3/8"w)




■ **N6836300WNPI**
400 Pistols



PARTITIONS (RIFLE STORAGE)

*Weapons length must be less than 39-1/4" for storage in "Extra" (39-1/2"w) Drawer.

WEAPON MODEL	DRAWER INSERT PART NUMBER (includes drawer liner)	MINIMUM DRAWER HEIGHT	EXTRA (39-1/2"w)	WEAPONS PER DRAWER DOUBLE (54-11/16"w)
SUBMACHINE GUN				
A4	250GSP1	130	8	---
A4	250GSP3	130	---	15
A5	250GSP1	140	8	---
A5	250GSP3	140	---	15
MP5A2	250GSP1	130	8	---
MP5A2	250GSP3	130	---	15
MP5A3	250GSP1	140	8	---
MP5A3	250GSP3	140	---	15
M3A1	250GSP5	120	11	---
M3A1	250GSP6	120	---	15
SD	250GSP1	140	8	---
SD	250GSP3	140	---	15
CARBINE				
CAR15	250GSP2	130	---	8
M4	250GSP1	130	8	---
M4	250GSP2	130	---	8
M4A1	250GSP1	130	8	---
M4A1	250GSP2	130	---	8
MACHINE GUN				
MAG-58	250GSP4	160	---	5
M240B	250GSP4	160	---	5
M240G	250GSP4	160	---	5
M249	250GSP4	160	---	5
SHOTGUN				
M1200*	250GSP1	130	8	---
M1200	250GSP2	130	---	8
RIFLE				
M16*	250GSP1	130	8	---
M16	250GSP2	130	---	8
M16 w/ M203	250GSP2	130	---	8
M-1A	250GSP2	130	---	8
SNIPER RIFLE				
M-24	250GSP2	130	---	8
BARREL				
M2	250GSP2	100	---	8



FOAM INSERT (RIFLE STORAGE)

WEAPON MODEL	WEAPON STYLE	DRAWER INSERT PART NUMBER (INCLUDES DRAWER LINER)	MINIMUM DRAWER HEIGHT	WEAPONS PER DRAWER DOUBLE (54-11/16"W)
M2	Machine Gun	250GSF1	140	4
M60	Machine Gun	250GSF2	130	4
MK19	Machine Gun	250GSF3	130	2

FOAM INSERT (PISTOL STORAGE)

DRAWER WIDTH	DRAWER INSERT PART NUMBER (includes drawer liner)	MINIMUM DRAWER HEIGHT	WEAPONS PER DRAWER
Slender (17-15/16")	250PSF1	130	44
Standard (25-1/8")	250PSF2	130	64
Medium (31-1/2")	250PSF3	130	80
Extra (39-1/2")	250PSF4	130	100
Double (54-11/16")	250PSF5	130	140

EXAMPLE

For the storage of (32) A5 Submachine Guns



Qty.	Cat. No.	Description
1	PPN316030BNNNN	Double Table Housing
2	PP240ELB310	External Lockbar
1	PPN156030NN000	Double Drawer, 10-7/8"
1	250GSP3	Usable/16 Weapon Layout
1	PPN166030NN000	Double Drawer, 11-3/4"
1	250GSP3	Usable/16 Weapon Layout
1	250LHT60	Hardwood Top

To custom design a Weapons Storage, contact Customer Service at 1-800-477-1255.
Dimensions listed are the clear inside dimensions of the drawer.

SUPERIOR DESIGN AND QUALITY

The Republic Locker

Republic's superb design and consistent quality work in tandem to create the industry's best locker on the market. The result is a sturdy product, providing ease of installation and long-term functionality.

5 KNUCKLE HINGE

Our sturdy, full loop 2" high, 5 knuckle hinge, nested in the door slot, is welded to the frame and double riveted to the door, providing strength superior to a continuous "piano" type hinge.

DOOR GAUGE

Gauge designates the thickness of the material (steel) used to fabricate the locker door. Like a golf score, the lower, the better.

3 POINT LATCH

A double channel lock bar concealed within the locker door engages heavy gauge frame hooks on the frame/body at 3 distinct points for maximum security. Alternatively, Single Point Latch offers lower maintenance.

BODY/INTERIOR COMPONENTS/GAUGE

Gauge designates the thickness of the material (steel) used to fabricate the locker sides, back, top, bottom, and shelf. Choose 24 gauge for economy or 16 gauge for durability.

VENTILATION

Particular applications may require customized ventilation

KNOCKED DOWN

Knocked down (KD) construction offers flexibility since individual locker parts are shipped to the destination and field assembled. In the event of a change in site conditions, locker configuration is effortlessly altered.

WELDED

Welded lockers are shipped preassembled and ready to install.

25 Colors

Choose from Republic's neutral shades or bold hues. No matter the design or color of your creation, Republic has your solution!



THE REPUBLIC LOCKER



A century of Excellence... a legacy of Quality

All Republic locker bodies are fabricated from premium quality cold rolled steel.

Tops, bottoms and shelves all have flanges on all four sides.

The design of backs and uprights provides for double-lapped rear vertical corners for extra strength.



SUPERIOR DESIGN

- A** Book shelf is provided in single tier lockers (48" or higher).
- B** Steel coat hooks are zinc plated.
- C** Double channel lock bar with spring steel latches is protected within full height channel-edge door construction.
- D** Sturdy, heavy gauge steel frame hooks provide secure latching.
- E** Rubber bumpers are provided at each hook to reduce door noise.
- F** Aluminum number plates have easy-to-read 1/2" high black numerals.
- G** Punching for built-in locks is provided in all doors.
- H** Tops, bottoms, and shelves are formed with flanges on all 4 sides.
- I** Backs and uprights are designed with double-lapped rear vertical corners for strength.
- J** Overlapping door frame members are double-welded in each corner for a rigid assembly.
- K** Full height continuous door strikes on both left and right side frames provide strength and security.
- L** Full loop, 5 knuckle hinges are double-riveted to door and welded to side frame.
- M** Cross frames between tiered doors provide an exceptionally strong and rigid frame assembly..



QUALITY






Configurations

- Single Tier
- Double Tier
- 5-High Box
- 6-High Box
- 16-Person Multi-Robe

Qwik-Ship Lockers Ready Now!

Republic's Qwik-Ship Lockers are in stock for immediate shipment. They feature heavy 16 or 18 gauge steel doors mounted in welded frame assemblies for strength and durability. Reliable recessed handle and proven latching system ensure maximum security, while louvers provide ventilation. Lockers are conveniently available in pre-packaged, 1-wide and 3-wide groupings. Lockers include 6" legs for an overall finished height of 66" or 78".

All stock sizes are available in #23 Classic Tan. Indicated sizes are also available in #20 Dove Gray.





Standard Features

Material

Door - 16 or 18 ga. mild cold rolled steel.
Body - 24 ga. mild cold rolled steel.



Assembly

Knocked down (KD), assembled with nuts and bolts.



Hinge

Full loop, 2" 5-knuckle hinges nested in door slot, welded to frame and double-riveted to door.

Handle

Stainless steel recessed handle with plastic-protected lifting trigger. Punched to accept a padlock or built-in lock. Meets ADA requirements for accessibility.



Latching

Tiered - quiet, multi-point latching on heavy gauge frame hooks with rubber silencers that reduce noise. Concealed quiet lock bar locked in place and isolated from metal to metal contact by polyethylene glides.





Box - padlock hasp and steel strike plate with integral door pull.

Ventilation

Louvers; door perimeter.




COLOR SELECTION





*All stock sizes are available in #23 classic tan. Indicated sizes are also available in #20 dove gray.

Configurations and Sizes:

Single-Tier Lockers	Width	Depth	Height	1-Wide #	3-Wide #
	12	12	60	753666*	753668*
	12	15	60	753670	753672
	12	18	60	753674	753676
	12	12	72	753678*	753680*
	12	15	72	753682*	753684*
	12	18	72	753686*	753688*
	15	18	72	753690	753692
	18	18	72	753694*	753696*

Double-Tier Lockers	Width	Depth	Height	1-Wide #	3-Wide #
	12	12	36	753710*	753712*
	12	15	36	753714*	753716*
	12	18	36	753718*	753720*
	15	18	36	753722*	753724*

5-High Lockers	Width	Depth	Height	1-Wide #	3-Wide #
	12	12	12	753801*	753803*
	12	15	12	753811*	753813*

6-High Lockers	Width	Depth	Height	1-Wide #	3-Wide #
	12	12	12	753881*	753883*
	12	15	12	753891*	753893*
	12	18	12	753901*	753903*

16-Person Multi-Robe	Width	Depth	Height	1-Wide #	3-Wide #
	72	18	72	753945	—



Finish Trim

6" Legs



6" legs are provided on all Qwik-Ship lockers. Front legs are an extension of vertical frames. Adjustable rear angle legs are provided for every third upright in a row.

Number Plates



Number Plates feature 1/2" high black numerals on brushed aluminum, permitting easy locker identification.

Front & End Bases



20 gauge Closed Front and End Bases may be used to close the bottom areas of lockers with legs.

Description	Width	Depth	Height	Part #
Closed Front Base	12"	—	6"	7505002*
	15"	—	6"	7505005*
	18"	—	6"	7505008*
Closed End Base	—	12"	6"	7502613*
	—	15"	6"	7502614*
	—	18"	6"	7502615*

Individual Slope Top Kits



Individual Sloping Top Kits provide a finished appearance and discourage the use of locker tops as storage areas. The rise is 1/3 of the locker depth. Standard flat tops are omitted when individual sloping tops are used.

Description	Width	Depth	1-Wide #	3-Wide #
Slope Top & End Panel Kit	12"	12"	754021*	754011*
	12"	15"	750022*	750012*
	12"	18"	750023*	750013*
	15"	18"	750024*	750014*
	18"	18"	750025*	750015*

Standard Box Locker Pulls



Standard Box Locker Pulls provide a convenient finger pull and serve as a padlock strike and lock hole cover. They are made from 20 gauge stainless steel.

End Finishing Panels



End Finishing Panels have perimeter holes only & can be used as cover sheets over multiple-punched uprights.

COLOR SELECTION



*All stock sizes are available in #23 Classic Tan. Indicated sizes are also available in #20 Dove Gray.




Description	Width	Depth	Height	Part #
End Finishing Panels	—	12"	72"	7524521*
	—	15"	72"	7524522*
	—	18"	72"	7524523*



Finish Trim & Accessories

Corners, Angles, & Fillers

Corners, Angles & Fillers are used to fill open areas or corners between individual lockers.



Description	Width	Depth	Height	Part #
Flat Top Filler	6"	12"	—	7520762*
		15"		7520768*
		18"		7520774*
	12"	12"	—	7520764*
		15"		7520770*
		18"		7520776*
Flat Top Corner Filler	—	12"	—	7520844*
		15"		7520845*
		18"		7520846*

Description	Width	Depth	Height	Part #
Corner Angle	—	—	78"	7505097*
Angle Filler	6"	—	78"	7520826*
	12"			7520828*
Slip Joint Filler	—	—	78"	7520804*

Description	Width	Depth	Height	Part #
Mitered Corner	—	12"	—	7518150*
		15"		7518151*
		18"		7518152*
Flat Filler Sheet, 4 pk.	18"	—	78"	7520756*

COLOR SELECTION



23
Classic Tan



20
Dove Gray

*All stock sizes are available in #23 classic tan.
Indicated sizes are also available in #20 dove gray.

Benches & Pedestals



Benches and Pedestals have an overall height of 17-1/2". Benches are 9-1/2" wide x 1-1/4" full finished thickness, laminated maple. Pedestals consist of sturdy 1-1/4" diameter tubing with 10 gauge steel flanges welded to each end.



Moveable Benches consist of maple bench tops mounted to free standing trapezoidal-shaped pedestals. Pedestals are made of 1/4" x 3" aluminum bar stock and feature a black anodized finish. Non-skid pads are provided for each pedestal. Maximum bench overhang from middle of this pedestal must not exceed 6".

Description	Width	Depth	Height	Part #
Bench Pedestal - Fixed	—	—	16-1/4"	7107529*
Bench Pedestal - Moveable	—	—	16-1/4"	7107650
3 Ft. Bench Top	3'	—	—	702063
4 Ft. Bench Top	4'	—	—	702064
5 Ft. Bench Top	5'	—	—	702065
6 Ft. Bench Top	6'	—	—	702066
7 Ft. Bench Top	7'	—	—	702067
8 Ft. Bench Top	8'	—	—	702068
9 Ft. Bench Top	9'	—	—	702069
10 Ft. Bench Top	10'	—	—	702070
11 Ft. Bench Top	11'	—	—	702071
12 Ft. Bench Top	12'	—	—	702072



Corridor Lockers AVAILABLE FROM PRODUCTION



Standard Lockers The Industry Benchmark!

Republic's Standard Locker offers economical storage, of personal effects in schools, parks and recreation areas, offices, and industrial locker rooms. Continuous vertical door strikes, heavy gauge frame hooks, and full-flanged, channel edged doors lend quality and security to the locker. Recognized by its recessed handle and distinctive door louvers, the Standard Locker serves as the industry benchmark for durability, reliability, and value. Many sizes of Standard Lockers are available for immediate shipment from our Qwik-Ship Inventory.

Configurations

- Single Tier
- Double Tier
- Triple Tier
- Four Tier
- 3-High Box
- 4-High Box
- 5-High Box
- 6-High Box
- Two Person
- Duplex
- Double Door
- Ski Lockers



Quiet Lockers The Best Value!

Republic's Quiet Locker, the most popular choice for schools, meets the basic needs of the school environment: noise-free operation and recessed handles for flat door surfaces. It features continuous vertical door strikes and full-flanged channel edged doors for added strength and security. Double lapped rear vertical corners stiffen locker bodies. Full loop, nested hinges are welded to frames and double-riveted to doors to eliminate hinge failure. The combination of solid construction and competitive price makes the Quiet Locker the best value on the market today.

Configurations

- Single Tier
- Double Tier
- Triple Tier
- Four Tier
- Two Person
- Duplex
- Double Door



Heavy Duty Corridor An Invincible Choice!

Republic's Heavy Duty Corridor Locker is the best choice for tougher environments. With an extra heavy 14 gauge door, secure lock nut fasteners, and quiet latching, this locker provides extra strength and security. Nested hinges are welded to frames and double-riveted to doors to eliminate hinge failure. When you add the standard features of welded cross frames, continuous vertical door strikes, and double lapped rear vertical corners on locker bodies, you've got an invincible locker.

Configurations

- Single Tier
- Double Tier
- Triple Tier



Single Point II C Economy and Strength

Republic's Single Point II Corridor Locker gives you the benefits of single point latching at an economical price. A heavy 14 gauge door is reinforced for added strength and rigidity. When padlocks are used, the Single Point II is virtually maintenance free. Full loop, nested hinges are welded to frames and double-riveted to doors to eliminate hinge failure. Single Point II Box lockers offer small storage areas with a flush front door design. For low maintenance and high security at an affordable price, Single Point II Corridor Lockers are the best choice.

Configurations

- Single Tier
- Double Tier
- Triple Tier
- Four Tier
- 4-High Box
- 5-High Box
- 6-High Box

Athletic Lockers AVAILABLE FROM PRODUCTION



Heavy Duty Ventilated Added Strength!

Republic's Heavy Duty Ventilated Lockers are designed to meet the harsh requirements of an athletic room environment. Built to last, these lockers feature knocked down construction, rugged 14 gauge doors, a heavy gauge body, multiple latching options, and our premium paint finish throughout. Diamond perforations in doors and sides provide free air flow as a key feature of the HDV locker. Riveted construction is recommended for assembly.

Configurations

- Single Tier
- Double Tier
- Triple Tier
- 4-High Box
- 5-High Box
- 6-High Box



All Welded Ventilated Built to Last!

Republic's All Welded Ventilated Lockers incorporate the superior design elements of the Heavy Duty Ventilated Locker. These lockers feature welded construction, rugged 14 gauge doors, a heavy gauge body, multiple latching options, and our premium paint finish throughout. All Welded Ventilated Lockers utilize a unique, one piece back/side design for added strength and improved group alignment. Welded Lockers are shipped preassembled and ready to install.

Configurations

- Single Tier
- Double Tier
- Triple Tier
- 4-High Box
- 5-High Box
- 6-High Box
- AWW MVP



Single Point II A Meets Tough Standards!

Republic's Single Point II Athletic Locker brings the benefits of latching with no moving parts to athletic environments. Heavy 14 gauge doors with reinforcing stand up to the tough standards of an athletic team room. Box locker doors with optional reinforcing are also available. Continuous vertical door strikes, heavy gauge bodies, nested hinges, and our premium paint finish throughout add to the long life of the locker. For low maintenance and high security for the athletic locker room, Single Point II Athletic Lockers are the best choice.

Configurations

- Single Tier
- Double Tier
- Triple Tier
- Four Tier
- 4-High Box
- 5-High Box
- 6-High Box



MVP A Team Requirement!

Republic's MVP Athletic Locker is a requirement for any athletic team. With an open-front design, the oversized MVP Locker provides a large, closet-type space for clothing and uniforms and an optional foot locker for equipment storage. An upper shelf is ideal for small items, while the optional lockable compartment adds secure storage for valuables. Heavy gauge steel body parts and our premium paint finish guarantee durability in the demanding environment of a team room.

Configurations

- Basic MVP
- MVP with Lockable Compartment Only
- MVP with Foot Locker Only
- Complete MVP

Special Application Lockers



ADA Compliant Lockers

ADA Compliant Lockers meet the requirements of the Americans with Disabilities Act for accessibility and usability. With an adjustment to the shelf location, Republic lockers with recessed handles meet the operation and reach needs of the user. Lockers should be placed in an area to allow full door swing and wheelchair turning ability.

ADA Compliant Benches (24" x 48") are also available.



ABC Cubbies for Kids

ABC Cubbies for Kids meet the casework needs of daycare centers, pre-primary and elementary schools with the colorful, durable traits of steel lockers. Manufactured from heavy gauge steel, with no doors or locks for simplicity. Cubbies are designed for safety with 180 degree bends, round corners, and smooth edges. For a colorful, long lasting, and fast installing alternative to casework, choose ABC Cubbies for Kids.



Emergency Response Lockers

Emergency Response Lockers are offered in a variety of configurations to appeal to diverse emergency personnel. Open-front lockers provide swift access to emergency items. Add double doors to securely store your mission critical items. An upper locked compartment or a bottom drawer can be added to secure personal items and equipment. The modular design allows your choice of features to accommodate your specific storage needs. A full range of accessories complements this locker's unique standard options.



Ski Lockers

Ski Lockers are ideal for seasonal rentals at resorts and in ski area hotels and condominiums. The locker is 84" in height and with the optional sloping top, can hold skis up to 225 cm in length. Optional equipment includes stainless steel bottoms; slide stops to prevent skis from sliding out of lockers; hooks for hanging poles; and half shelves for hats, gloves, or goggles.



A century of Excellence...
a legacy of Quality

PRODUCT WARRANTY

Republic Storage Products, LLC hereby agrees to extend to Owner our standard warranty for material furnished by Republic Storage Products for the use on the above project. The warranty shall be limited to those items manufactured by Republic Storage Products. No other items are to be included as part of this warranty.

THE WARRANTY EXTENDED IS AS FOLLOWS:

Republic Storage Products, LLC warrants to the Owner that all items referenced in this letter shall be free of defective material or faulty workmanship for a period of one (1) year from insert installation date. The liability of Republic Storage Products for any breach of the foregoing warranty shall not extend to dismantling, installing or reinstalling, but shall be limited to repairing or replacing said items at Republic Storage Product's option within a reasonable time after receipt of written notice from Owner, provided that the Owner has notified Republic Storage Products with respect to any claimed defective materials within ten (10) days after the above date. If a product is of such a nature that reasonable inspection within the time provided would not disclose it, then notice of the claimed defect shall be made within (10) days after owner has knowledge of the defect. Owner further agrees that Republic Storage Products is not responsible for any other conditions over which Republic Storage Products has no control. In no case shall Republic Storage Products be liable for consequential damages arising from breach of any foregoing warranties. Republic Storage Products does not warrant any parts not manufactured by Republic Storage Products that are used in conjunction with items manufactured by Republic Storage Products. Further, Republic Storage Products does not warrant any components or systems manufactured by Republic Storage Products that are used in conjunction with components or parts not manufactured by Republic Storage Products. REPUBLIC STORAGE PRODUCTS SPECIFICALLY DISCLAIMS ANY OTHER WARRANTIES EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE AND THE IMPLIED WARRANTY OF MERCHANTABILITY, AND REPUBLIC STORAGE PRODUCTS ALSO SPECIFICALLY DISCLAIMS ANY LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES. This warranty is for Owner's exclusive benefit and is not assignable or transferable, nor is Owner permitted to represent to any third party that it may rely upon this warranty.



A century of Excellence... a legacy of Quality



**CORPORATE
HEADQUARTERS**

3743 Boettler Oaks Dr.
Suite A
Uniontown, OH 44685

800-477-1255

**Catalog available online at
www.republicstorage.com**

Visit our website to find a distribution
point in your area.

For more information on ordering, payment terms, shipment routing, return policy or price, contact Republic or a Republic Authorized Distributor. All product information, terms and conditions in this catalog are subject to change without notice. No part of this document may be reproduced without written permission from Republic Storage Products, LLC.

Republic Storage Products, LLC. - RSP-SS-1218-7.5M
Updated 10/23/2020

